

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082522\
 Data File : VV027503.D
 Acq On : 25 Aug 2022 18:38
 Operator : SY/MD
 Sample : N4370-05
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5E86

Quant Time: Aug 26 01:01:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 26 00:58:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	116596	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	115978	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	50416	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	32268	3.889	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.800%
7) Chloroethane-d5	1.564	69	31113	5.123	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.400%
11) 1,1-Dichloroethene-d2	2.105	63	58201	3.008	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.200%
20) 2-Butanone-d5	3.902	46	37911	36.710	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	73.420%
24) Chloroform-d	4.346	84	68242	4.113	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.200%
26) 1,2-Dichloroethane-d4	5.034	65	30276	4.218	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.400%
32) Benzene-d6	5.050	84	126446	3.936	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.800%
36) 1,2-Dichloropropane-d6	6.069	67	39123	4.189	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.800%
41) Toluene-d8	7.317	98	99032	3.414	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.200%#
43) trans-1,3-Dichloroprop...	7.625	79	11797	3.689	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.800%
46) 2-Hexanone-d5	8.092	63	41749	39.661	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.320%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	24548	4.127	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.600%
66) 1,2-Dichlorobenzene-d4	11.625	152	34052	4.556	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.200%
Target Compounds						
					Qvalue	
17) Methyl tert-butyl Ether	2.767	73	3291	0.180	ug/L #	90
25) Chloroform	4.375	83	8335	0.407	ug/L	95
38) Bromodichloromethane	6.516	83	4018	0.308	ug/L #	98
47) Tetrachloroethene	7.979	164	939	0.119	ug/L #	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082522\
Data File : VV027503.D
Acq On : 25 Aug 2022 18:38
Operator : SY/MD
Sample : N4370-05
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5E86

Quant Time: Aug 26 01:01:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 26 00:58:54 2022
Response via : Initial Calibration









#17
Methyl tert-butyl Ether
Concen: 0.180 ug/L
RT: 2.767 min Scan# 51
Delta R.T. 0.000 min
Lab File: VV027503.D
Acq: 25 Aug 2022 18:38




Instrument :
MSVOA_V
ClientSampleId :
F5E86


Tgt Ion: 73 Resp: 3291
Ion Ratio Lower Upper
73 100
43 27.2 15.6 23.4#
57 23.1 17.0 25.6



#25
Chloroform
Concen: 0.407 ug/L
RT: 4.375 min Scan# 1037
Delta R.T. 0.003 min
Lab File: VV027503.D
Acq: 25 Aug 2022 18:38

Tgt Ion: 83 Resp: 8335
Ion Ratio Lower Upper
83 100
85 65.6 43.3 80.5





#38

Bromodichloromethane

Concen: 0.308 ug/L

RT: 6.516 min Scan# 1

Delta R.T. 0.010 min

Lab File: VV027503.D

Acq: 25 Aug 2022 18:38

Instrument :

MSVOA_V

ClientSampleId :

F5E86





Tgt Ion: 83 Resp: 4018

Ion Ratio Lower Upper

83 100

85 65.1 45.3 84.1

127 12.9 7.2 10.8#



#47

Tetrachloroethene

Concen: 0.119 ug/L

RT: 7.979 min Scan# 2158

Delta R.T. 0.006 min

Lab File: VV027503.D

Acq: 25 Aug 2022 18:38

Tgt Ion: 164 Resp: 939

Ion Ratio Lower Upper

164 100

129 95.1 71.1 132.1

131 59.1 64.5 119.9#

166 123.6 89.4 166.0

