

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW082622\
 Data File : VW027531.D
 Acq On : 26 Aug 2022 13:34
 Operator : SY/MD
 Sample : N4367-15
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5F28

Quant Time: Aug 27 03:14:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Aug 27 03:12:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	304068	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	297080	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	127594	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	62082	2.869	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	57.400%
7) Chloroethane-d5	1.564	69	68409	4.319	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.400%
11) 1,1-Dichloroethene-d2	2.101	63	119540	2.369	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	47.400%#
20) 2-Butanone-d5	3.889	46	92212	34.239	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	68.480%
24) Chloroform-d	4.342	84	157060	3.630	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	72.600%
26) 1,2-Dichloroethane-d4	5.031	65	72446	3.870	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.400%
32) Benzene-d6	5.047	84	278769	3.388	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	67.800%#
36) 1,2-Dichloropropane-d6	6.066	67	85469	3.573	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	71.400%
41) Toluene-d8	7.313	98	233747	3.146	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	63.000%#
43) trans-1,3-Dichloroprop...	7.622	79	27162	3.316	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	66.400%
46) 2-Hexanone-d5	8.088	63	107179	39.749	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.500%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	54682	3.589	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	71.800%
66) 1,2-Dichlorobenzene-d4	11.622	152	79936	4.226	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.600%
Target Compounds						Qvalue
47) Tetrachloroethene	7.979	164	4218	0.208	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082622\
Data File : VV027531.D
Acq On : 26 Aug 2022 13:34
Operator : SY/MD
Sample : N4367-15
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5F28

Quant Time: Aug 27 03:14:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Aug 27 03:12:26 2022
Response via : Initial Calibration

