

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW082622\
 Data File : VW027532.D
 Acq On : 26 Aug 2022 13:58
 Operator : SY/MD
 Sample : N4367-16
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5F29

Quant Time: Aug 27 03:14:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Aug 27 03:12:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	127839	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	124432	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	56018	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	29672	3.261	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.200%
7) Chloroethane-d5	1.564	69	30841	4.632	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.600%
11) 1,1-Dichloroethene-d2	2.105	63	59736	2.816	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.400%#
20) 2-Butanone-d5	3.899	46	36207	31.977	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	63.960%
24) Chloroform-d	4.346	84	72507	3.986	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.800%
26) 1,2-Dichloroethane-d4	5.031	65	31718	4.030	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.600%
32) Benzene-d6	5.047	84	124777	3.620	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	72.400%
36) 1,2-Dichloropropane-d6	6.069	67	38310	3.823	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.400%
41) Toluene-d8	7.317	98	103070	3.312	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	66.200%#
43) trans-1,3-Dichloroprop...	7.629	79	11770	3.431	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	68.600%
46) 2-Hexanone-d5	8.092	63	43215	38.264	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	76.520%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	24865	3.897	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	78.000%
66) 1,2-Dichlorobenzene-d4	11.625	152	36230	4.363	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.200%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	7.976	164	3233	0.381	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082622\
Data File : VV027532.D
Acq On : 26 Aug 2022 13:58
Operator : SY/MD
Sample : N4367-16
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5F29

Quant Time: Aug 27 03:14:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Aug 27 03:12:26 2022
Response via : Initial Calibration

