

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082622\
 Data File : VV027536.D
 Acq On : 26 Aug 2022 15:37
 Operator : SY/MD
 Sample : N4368-03
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5E95

Quant Time: Aug 27 03:15:32 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Aug 27 03:12:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	122691	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	129136	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	55357	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	38330	4.390	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.800%	
7) Chloroethane-d5	1.564	69	39027	6.107	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	122.200%	
11) 1,1-Dichloroethene-d2	2.105	63	66781	3.280	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	65.600%	
20) 2-Butanone-d5	3.896	46	39501	36.350	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	72.700%	
24) Chloroform-d	4.346	84	70970	4.065	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	81.200%	
26) 1,2-Dichloroethane-d4	5.034	65	34064	4.510	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.200%	
32) Benzene-d6	5.047	84	129804	3.629	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	72.600%	
36) 1,2-Dichloropropane-d6	6.069	67	38034	3.657	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	73.200%	
41) Toluene-d8	7.317	98	111561	3.454	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	69.000%#	
43) trans-1,3-Dichloroprop...	7.628	79	13096	3.678	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	73.600%	
46) 2-Hexanone-d5	8.091	63	48828	41.659	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	83.320%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	26855	4.055	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	81.200%	
66) 1,2-Dichlorobenzene-d4	11.625	152	35982	4.385	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	87.600%	
Target Compounds						Qvalue
17) Methyl tert-butyl Ether	2.767	73	21462	1.117	ug/L	# 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082622\
Data File : VV027536.D
Acq On : 26 Aug 2022 15:37
Operator : SY/MD
Sample : N4368-03
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5E95

Quant Time: Aug 27 03:15:32 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Aug 27 03:12:26 2022
Response via : Initial Calibration

