

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
 Data File : VV037041.D
 Acq On : 26 Aug 2024 20:19
 Operator : SY/MD
 Sample : P3693-01
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K74

Quant Time: Aug 27 02:05:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 27 01:58:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	583279	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	557618	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.182	152	265505	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	238462	44.693	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	89.380%	
7) Chloroethane-d5	1.529	69	201223	48.797	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	97.600%	
11) 1,1-Dichloroethene-d2	2.056	65	107671	48.012	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	96.020%	
21) 2-Butanone-d5	3.796	46	260207	125.934	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	125.930%	
24) Chloroform-d	4.243	84	427409	51.183	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	102.360%	
26) 1,2-Dichloroethane-d4	4.937	65	283770	53.961	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	107.920%	
32) Benzene-d6	4.953	84	892271	52.978	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	105.960%	
36) 1,2-Dichloropropane-d6	5.986	67	287082	54.421	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	108.840%	
41) Toluene-d8	7.240	98	791952	52.101	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	104.200%	
43) trans-1,3-Dichloroprop...	7.551	79	120641	49.432	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	98.860%	
47) 2-Hexanone-d5	8.024	63	175804	122.111	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	122.110%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	359702	56.223	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	112.440%	
66) 1,2-Dichlorobenzene-d4	11.554	152	288066	54.173	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	108.340%	
Target Compounds						Qvalue
5) Vinyl chloride	1.282	62	12934	2.485	ug/L	# 70

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
Data File : VV037041.D
Acq On : 26 Aug 2024 20:19
Operator : SY/MD
Sample : P3693-01
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K74

Quant Time: Aug 27 02:05:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 27 01:58:15 2024
Response via : Initial Calibration

