

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
 Data File : VV037045.D
 Acq On : 26 Aug 2024 22:31
 Operator : SY/MD
 Sample : VV0826WBL02
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK384

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M

Title : VOC Analysis

Signal : TIC: VV037045.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	67	74	90	rBV	414655	435219	16.50%	2.245%
2	1.532	146	153	170	rVB	316803	385267	14.60%	1.987%
3	2.056	307	316	333	rVB	682831	979896	37.14%	5.054%
4	3.593	791	794	796	rBV2	785	456	0.02%	0.002%
5	3.658	811	814	815	rBV2	961	511	0.02%	0.003%
6	3.693	822	825	826	rBV3	1318	746	0.03%	0.004%
7	3.715	829	832	835	rVV5	873	646	0.02%	0.003%
8	3.738	836	839	841	rVV4	1479	767	0.03%	0.004%
9	3.796	848	857	901	rBV	144514	415339	15.74%	2.142%
10	4.098	949	951	953	rBV3	983	351	0.01%	0.002%
11	4.243	981	996	1022	rBV	396773	1045294	39.62%	5.391%
12	4.686	1130	1134	1138	rVB6	1373	1535	0.06%	0.008%
13	4.706	1138	1140	1144	rVB4	573	283	0.01%	0.001%
14	4.725	1144	1146	1147	rBV2	880	456	0.02%	0.002%
15	4.776	1158	1162	1166	rBV6	707	822	0.03%	0.004%
16	4.793	1166	1167	1169	rVV2	550	219	0.01%	0.001%
17	4.841	1178	1182	1187	rBV7	1420	1384	0.05%	0.007%
18	4.863	1187	1189	1190	rBV2	541	257	0.01%	0.001%
19	4.876	1190	1193	1197	rVB3	1126	854	0.03%	0.004%
20	4.895	1197	1199	1201	rBV3	1706	1122	0.04%	0.006%
21	4.950	1201	1216	1247	rBV2	1058339	2638204	100.00%	13.607%
22	5.461	1372	1375	1378	rBV4	1708	1142	0.04%	0.006%
23	5.529	1384	1396	1431	rBV	741068	1522569	57.71%	7.853%
24	5.934	1519	1522	1524	rBV4	1273	824	0.03%	0.004%
25	5.985	1524	1538	1571	rVV	579318	1212784	45.97%	6.255%
26	6.821	1796	1798	1800	rBV3	1088	470	0.02%	0.002%
27	6.908	1815	1825	1854	rBV	307615	580713	22.01%	2.995%
28	7.239	1917	1928	1964	rBV	1196826	2122950	80.47%	10.949%
29	7.551	2016	2025	2049	rBV	201617	365250	13.84%	1.884%
30	7.808	2103	2105	2108	rBV3	1480	833	0.03%	0.004%
31	8.024	2163	2172	2202	rBV	466161	930340	35.26%	4.798%
32	8.587	2345	2347	2350	rBV4	1477	804	0.03%	0.004%
33	8.779	2396	2407	2447	rBV	1129230	1873978	71.03%	9.665%
34	9.159	2522	2525	2529	rBV5	1857	1691	0.06%	0.009%
35	9.230	2546	2547	2550	rVB3	1199	443	0.02%	0.002%
36	9.333	2576	2579	2581	rBV4	1157	795	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
 Data File : VV037045.D
 Acq On : 26 Aug 2024 22:31
 Operator : SY/MD
 Sample : VV0826WBL02
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK384

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	9.365	2587	2589	2593	rBV3	1050	725	0.03%	0.004%
38	9.487	2624	2627	2632	rBV6	1965	1881	0.07%	0.010%
39	9.612	2662	2666	2667	rBV3	738	456	0.02%	0.002%
40	9.667	2681	2683	2687	rVB5	1453	680	0.03%	0.004%
41	9.702	2692	2694	2697	rBV3	890	546	0.02%	0.003%
42	9.789	2719	2721	2722	rBV2	829	265	0.01%	0.001%
43	9.866	2740	2745	2748	rBV6	3161	3316	0.13%	0.017%
44	9.985	2779	2782	2786	rBV5	1543	1103	0.04%	0.006%
45	10.037	2794	2798	2800	rBV3	1298	883	0.03%	0.005%
46	10.149	2819	2833	2849	rBV	703606	1108690	42.02%	5.718%
47	10.304	2879	2881	2882	rBV2	793	286	0.01%	0.001%
48	10.397	2908	2910	2916	rVB6	1269	974	0.04%	0.005%
49	10.423	2916	2918	2919	rBV3	551	192	0.01%	0.001%
50	10.471	2927	2933	2935	rBV6	3183	3058	0.12%	0.016%
51	10.538	2950	2954	2961	rVB8	1397	1464	0.06%	0.008%
52	10.574	2961	2965	2966	rBV3	1184	740	0.03%	0.004%
53	10.635	2982	2984	2985	rBV2	991	316	0.01%	0.002%
54	10.776	3026	3028	3029	rBV2	949	391	0.01%	0.002%
55	10.815	3038	3040	3041	rBV2	872	394	0.01%	0.002%
56	10.863	3046	3055	3064	rVB2	3120	5110	0.19%	0.026%
57	10.921	3071	3073	3074	rBV2	717	229	0.01%	0.001%
58	10.940	3077	3079	3080	rBV2	972	418	0.02%	0.002%
59	11.062	3114	3117	3121	rBV3	848	474	0.02%	0.002%
60	11.078	3121	3122	3123	rVB	513	99	0.00%	0.001%
61	11.091	3123	3126	3128	rBV3	1765	1106	0.04%	0.006%
62	11.104	3128	3130	3131	rBV	749	329	0.01%	0.002%
63	11.181	3143	3154	3188	rBV	1124779	1791478	67.91%	9.240%
64	11.509	3252	3256	3258	rBV4	1590	1200	0.05%	0.006%
65	11.554	3259	3270	3298	rVV	1148605	1854127	70.28%	9.563%
66	11.837	3355	3358	3362	rBV5	1256	1085	0.04%	0.006%
67	12.049	3423	3424	3428	rBV3	1325	720	0.03%	0.004%
68	12.075	3428	3432	3434	rVV4	1148	806	0.03%	0.004%
69	12.149	3453	3455	3457	rVB3	1371	557	0.02%	0.003%
70	12.165	3457	3460	3463	rBV3	1354	960	0.04%	0.005%
71	12.210	3470	3474	3476	rBV5	1083	898	0.03%	0.005%
72	12.355	3517	3519	3525	rVB6	1611	1163	0.04%	0.006%
73	12.381	3525	3527	3533	rBV7	1578	1471	0.06%	0.008%
74	12.516	3567	3569	3571	rBV2	793	291	0.01%	0.002%
75	12.529	3571	3573	3577	rVV5	963	753	0.03%	0.004%
76	12.586	3583	3591	3599	rBV9	5167	8825	0.33%	0.046%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
 Data File : VV037045.D
 Acq On : 26 Aug 2024 22:31
 Operator : SY/MD
 Sample : VV0826WBL02
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK384

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	12.696	3621	3625	3626	rBV3	1229	751	0.03%	0.004%
78	12.725	3633	3634	3637	rVB3	536	140	0.01%	0.001%
79	12.760	3637	3645	3647	rBV7	1230	1566	0.06%	0.008%
80	12.795	3653	3656	3658	rBV4	761	519	0.02%	0.003%
81	12.905	3688	3690	3693	rVB4	1856	950	0.04%	0.005%
82	12.953	3701	3705	3706	rBV4	1240	929	0.04%	0.005%
83	13.133	3756	3761	3765	rVB5	1404	1595	0.06%	0.008%
84	13.152	3765	3767	3769	rBV3	993	486	0.02%	0.003%
85	13.207	3776	3784	3791	rBV9	7059	10857	0.41%	0.056%
86	13.326	3818	3821	3822	rBV3	1447	753	0.03%	0.004%
87	13.448	3851	3859	3871	rBV4	12221	25955	0.98%	0.134%
88	13.525	3878	3883	3889	rVB9	1860	2347	0.09%	0.012%
89	13.683	3919	3932	3940	rBV9	7044	14307	0.54%	0.074%
90	13.799	3966	3968	3969	rBV2	1503	469	0.02%	0.002%
91	14.175	4081	4085	4086	rBV4	1621	1018	0.04%	0.005%
92	14.692	4244	4246	4250	rVB5	2153	1184	0.04%	0.006%
93	15.024	4346	4349	4352	rBV4	1649	1304	0.05%	0.007%

Sum of corrected areas: 19388803

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
Data File : VV037045.D
Acq On : 26 Aug 2024 22:31
Operator : SY/MD
Sample : VV0826WBL02
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK384

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082624\
Data File : VV037045.D
Acq On : 26 Aug 2024 22:31
Operator : SY/MD
Sample : VV0826WBL02
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK384

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc