

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV082720\
 Data File : VV018119.D
 Acq On : 27 Aug 2020 16:23
 Operator : SY/MD
 Sample : L3800-07ME
 Misc : 6.74g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3J0ME

Quant Time: Aug 28 07:13:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 28 06:20:16 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	303674	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.88	117	300875	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	148991	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	86551	37.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.70%
7) Chloroethane-d5	1.58	69	71343	37.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	75.28%
11) 1,1-Dichloroethene-d2	2.10	63	135885	30.66	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.32%
21) 2-Butanone-d5	3.93	46	126462	83.33	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.33%
24) Chloroform-d	4.37	84	178994	42.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.88%
26) 1,2-Dichloroethane-d4	5.05	65	122883	44.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.72%
32) Benzene-d6	5.07	84	362254	43.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.38%
36) 1,2-Dichloropropane-d6	6.09	67	119502	44.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.16%
41) Toluene-d8	7.34	98	328831	44.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.20%
43) trans-1,3-Dichloropropene-	7.64	79	56632	46.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.12%
47) 2-Hexanone-d5	8.14	63	72619	83.48	ug/L	0.04
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.48%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	145539	41.23	ug/L	0.01
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.46%
64) 1,2-Dichlorobenzene-d4	11.65	152	135277	46.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.26%

Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	3.93	96	30572	13.286 ug/L	98
34) Trichloroethene	5.94	95	5377	2.185 ug/L	92
46) Tetrachloroethene	8.00	164	65713	36.416 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV082720\
Data File : VV018119.D
Acq On : 27 Aug 2020 16:23
Operator : SY/MD
Sample : L3800-07ME
Misc : 6.74g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3J0ME

Quant Time: Aug 28 07:13:06 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 28 06:20:16 2020
Response via : Initial Calibration

