

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV082820\
 Data File : VV018135.D
 Acq On : 28 Aug 2020 13:56
 Operator : SY/MD
 Sample : L3800-21
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3J3

Quant Time: Aug 29 01:35:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 29 00:38:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	269748	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	265033	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	128728	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	78692	38.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.46%
7) Chloroethane-d5	1.58	69	73327	43.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.10%
11) 1,1-Dichloroethene-d2	2.12	63	126977	32.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.50%
21) 2-Butanone-d5	3.91	46	122391	90.79	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.79%
24) Chloroform-d	4.38	84	162862	43.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.94%
26) 1,2-Dichloroethane-d4	5.06	65	112605	46.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.54%
32) Benzene-d6	5.08	84	327169	44.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.58%
36) 1,2-Dichloropropane-d6	6.09	67	109919	46.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.06%
41) Toluene-d8	7.34	98	287408	43.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.50%
43) trans-1,3-Dichloropropene-	7.64	79	50473	46.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.20%
47) 2-Hexanone-d5	8.11	63	66581	86.89	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.89%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	140023	45.03	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.06%
64) 1,2-Dichlorobenzene-d4	11.65	152	126319	49.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.72%

Target Compounds


					Ovalue
5) Vinyl chloride	1.32	62	7965	3.323 ug/L #	40
12) 1,1-Dichloroethene	2.13	96	6391	3.532 ug/L #	1
17) trans-1,2-Dichloroethene	2.78	96	2113	1.136 ug/L	85
18) Methyl tert-butyl Ether	2.79	73	32020	5.205 ug/L	99
20) cis-1,2-Dichloroethene	3.94	96	455515	222.856 ug/L	97
25) Chloroform	4.41	83	7140	1.872 ug/L	99
34) Trichloroethene	5.94	95	260890	120.369 ug/L	98
46) Tetrachloroethene	8.00	164	303316	190.817 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV082820\
Data File : VV018135.D
Acq On : 28 Aug 2020 13:56
Operator : SY/MD
Sample : L3800-21
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3J3

Quant Time: Aug 29 01:35:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 29 00:38:30 2020
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 3.323 ug/L

RT: 1.32 min Scan# 71

Delta R.T. 0.00 min

Lab File: VV018135.D

Acq: 28 Aug 2020 13:56

Instrument :

MSVOA_V

ClientSampled :


BG3J3

Tot Ion: 62 Resp: 7965

Ion Ratio Lower Upper




62 100

64 65.4 22.4 41.6#



Abundance Ion 62.00 (61.70 to 62.70): VV0

Ion 64.00 (63.70 to 64.70): VV0



#12

1,1-Dichloroethene

Concen: 3.532 ug/L

RT: 2.13 min Scan# 324

Delta R.T. 0.00 min

Lab File: VV018135.D

Acq: 28 Aug 2020 13:56


Tgt Ion: 96 Resp: 6391

Ion Ratio Lower Upper

96 100

61 299.0 127.1 236.0#



63 1323.9 95.2 176.8#




Abundance Ion 96.00 (95.70 to 96.70): VV0

Ion 61.00 (60.70 to 61.70): VV0

Ion 63.00 (62.70 to 63.70): VV0









#17
trans-1,2-Dichloroethene
Concen: 1.136 ug/L
RT: 2.78 min Scan# 527
Delta R.T. 0.01 min
Lab File: VV018135.D
Acq: 28 Aug 2020 13:56

Instrument :
MSVOA_V
ClientSampleId :
BG3J3

Tot Ion: 96 Resp: 2113
Ion Ratio Lower Upper
96 100
61 125.1 102.4 190.2
98 56.2 44.4 82.5




Abundance Ion 96.00 (95.70 to 96.70): VV0
Ion 61.00 (60.70 to 61.70): VV0
Ion 98.00 (97.70 to 98.70): VV0






#18
Methyl tert-butyl Ether
Concen: 5.205 ug/L
RT: 2.79 min Scan# 528
Delta R.T. 0.01 min
Lab File: VV018135.D
Acq: 28 Aug 2020 13:56

Tgt Ion: 73 Resp: 32020
Ion Ratio Lower Upper
73 100
43 20.2 15.9 23.9
57 23.0 18.1 27.1



Abundance Ion 73.00 (72.70 to 73.70): VV0
Ion 43.00 (42.70 to 43.70): VV0
Ion 57.00 (56.70 to 57.70): VV0









#20

cis-1,2-Dichloroethene
 Concen: 222.856 ug/L
 RT: 3.94 min Scan# 886
 Delta R.T. 0.00 min
 Lab File: VV018135.D
 Acq: 28 Aug 2020 13:56

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3J3




Tot Ion: 96 Resp: 455515
 Ion Ratio Lower Upper
 96 100
 61 132.1 95.0 176.4
 68 0.0 0.0 0.0




#25

Chloroform
 Concen: 1.872 ug/L
 RT: 4.41 min Scan# 1031
 Delta R.T. 0.01 min
 Lab File: VV018135.D
 Acq: 28 Aug 2020 13:56

Tgt Ion: 83 Resp: 7140
 Ion Ratio Lower Upper
 83 100
 85 64.3 45.5 84.5





#34

Trichloroethene

Concen: 120.369 ug/L

RT: 5.94 min Scan# 1508

Delta R.T. 0.00 min

Lab File: VV018135.D

Acq: 28 Aug 2020 13:56

Instrument :

MSVOA_V

ClientSampleId :

BG3J3

Tot Ion: 95 Resp: 260890


Ion Ratio Lower Upper

95 100

97 65.4 46.0 85.4

132 96.9 65.8 122.2

130 101.0 69.2 128.6






Abundance

Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V



#46

Tetrachloroethene

Concen: 190.817 ug/L

RT: 8.00 min Scan# 2148

Delta R.T. 0.00 min

Lab File: VV018135.D

Acq: 28 Aug 2020 13:56

Tgt Ion: 164 Resp: 303316


Ion Ratio Lower Upper

164 100

129 92.7 64.8 120.3

131 89.1 64.5 119.9

166 128.4 88.9 165.1



Abundance

Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

