

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV083019\
 Data File : VV012449.D
 Acq On : 30 Aug 2019 11:30
 Operator : SY/MD
 Sample : K4501-01DL 200X
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GANL6DL

Quant Time: Aug 31 01:11:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR082919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Aug 31 00:07:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	174251	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	169127	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	61157	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	41847	2.69	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	53.80%
7) Chloroethane-d5	1.58	69	38621	3.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	68.80%
11) 1,1-Dichloroethene-d2	2.13	63	58602	2.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	46.00%#
20) 2-Butanone-d5	3.97	46	166573	52.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.24%
24) Chloroform-d	4.40	84	109386	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.00%
26) 1,2-Dichloroethane-d4	5.08	65	58842	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.80%
32) Benzene-d6	5.10	84	199014	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.80%
36) 1,2-Dichloropropane-d6	6.12	67	70409	4.39	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.80%
41) Toluene-d8	7.36	98	144941	3.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	63.60%#
43) trans-1,3-Dichloropropene-	7.67	79	22115	3.90	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.00%
46) 2-Hexanone-d5	8.14	63	102414	45.99	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.98%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	53053	4.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	52725	4.43	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.60%

Target Compounds					Qvalue
47) Tetrachloroethene	8.02	164	41657	2.917 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV083019\
Data File : VV012449.D
Acq On : 30 Aug 2019 11:30
Operator : SY/MD
Sample : K4501-01DL 200X
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GANL6DL

Quant Time: Aug 31 01:11:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR082919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Aug 31 00:07:21 2019
Response via : Initial Calibration

