

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
 Data File : VV022001.D
 Acq On : 30 Aug 2021 13:49
 Operator : SY/MD
 Sample : M3549-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW7C9

Quant Time: Aug 31 02:38:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 31 02:34:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	366464	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	349955	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	176446	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	105347	41.511	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	83.020%	
7) Chloroethane-d5	1.565	69	89295	45.057	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	90.120%	
11) 1,1-Dichloroethene-d2	2.105	63	141865	33.801	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	67.600%	
21) 2-Butanone-d5	3.876	46	170865	98.172	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	98.170%	
24) Chloroform-d	4.352	84	206441	44.612	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	89.220%	
26) 1,2-Dichloroethane-d4	5.034	65	133853	49.109	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	98.220%	
32) Benzene-d6	5.050	84	460009	48.463	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	96.920%	
36) 1,2-Dichloropropane-d6	6.072	67	143715	48.144	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	96.280%	
41) Toluene-d8	7.317	98	423389	47.252	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	94.500%	
43) trans-1,3-Dichloroprop...	7.622	79	63759	44.876	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	89.760%	
47) 2-Hexanone-d5	8.088	63	101471	88.592	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	88.590%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	168968	44.197	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	88.400%	
66) 1,2-Dichlorobenzene-d4	11.625	152	171003	49.298	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	98.600%	
Target Compounds						
					Qvalue	
13) Acetone	2.159	43	19427	13.322	ug/L	# 74
25) Chloroform	4.378	83	12325	2.558	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
Data File : VV022001.D
Acq On : 30 Aug 2021 13:49
Operator : SY/MD
Sample : M3549-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW7C9

Quant Time: Aug 31 02:38:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 31 02:34:28 2021
Response via : Initial Calibration

