

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
 Data File : VV022009.D
 Acq On : 30 Aug 2021 17:28
 Operator : SY/MD
 Sample : M3566-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBKG8

Quant Time: Aug 31 02:39:51 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 31 02:34:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	371865	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	357509	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	182454	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	96998	37.666	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.340%		
7) Chloroethane-d5	1.564	69	85169	42.350	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	84.700%		
11) 1,1-Dichloroethene-d2	2.105	63	138109	32.428	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	64.860%		
21) 2-Butanone-d5	3.876	46	164817	93.321	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	93.320%		
24) Chloroform-d	4.352	84	198850	42.348	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	84.700%		
26) 1,2-Dichloroethane-d4	5.034	65	127512	46.103	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.200%		
32) Benzene-d6	5.050	84	433965	44.753	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.500%		
36) 1,2-Dichloropropane-d6	6.072	67	137481	45.083	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	90.160%		
41) Toluene-d8	7.317	98	400442	43.747	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.500%		
43) trans-1,3-Dichloroprop...	7.625	79	56844	39.163	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	78.320%		
47) 2-Hexanone-d5	8.088	63	114850	98.154	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	98.150%		
56) 1,1,2,2-Tetrachloroeth...	10.217	84	191051	48.917	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	97.840%		
66) 1,2-Dichlorobenzene-d4	11.628	152	165364	46.103	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	92.200%		
Target Compounds					Qvalue	
25) Chloroform	4.375	83	12420	2.540	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
Data File : VV022009.D
Acq On : 30 Aug 2021 17:28
Operator : SY/MD
Sample : M3566-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBKG8

Quant Time: Aug 31 02:39:51 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 31 02:34:28 2021
Response via : Initial Calibration

