

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
 Data File : VV022016.D
 Acq On : 30 Aug 2021 20:41
 Operator : SY/MD
 Sample : VV0830WBL02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK244

Quant Time: Aug 31 04:30:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 31 04:25:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	364259	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	351035	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	175102	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	99563	39.469	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.940%
7) Chloroethane-d5	1.565	69	84941	43.119	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.240%
11) 1,1-Dichloroethene-d2	2.105	63	134603	32.265	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.520%
21) 2-Butanone-d5	3.876	46	170372	98.481	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.480%
24) Chloroform-d	4.349	84	197625	42.966	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.940%
26) 1,2-Dichloroethane-d4	5.034	65	130123	48.029	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.060%
32) Benzene-d6	5.050	84	437493	45.949	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.900%
36) 1,2-Dichloropropane-d6	6.072	67	140300	46.856	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.720%
41) Toluene-d8	7.317	98	402403	44.772	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.540%
43) trans-1,3-Dichloroprop...	7.625	79	57940	40.655	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.300%
47) 2-Hexanone-d5	8.088	63	110484	96.164	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.160%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	185880	48.471	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.940%
66) 1,2-Dichlorobenzene-d4	11.628	152	164651	47.832	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.660%
Target Compounds						
25) Chloroform	4.378	83	15838	3.307	ug/L	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
Data File : VV022016.D
Acq On : 30 Aug 2021 20:41
Operator : SY/MD
Sample : VV0830WBL02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK244

Quant Time: Aug 31 04:30:45 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 31 04:25:57 2021
Response via : Initial Calibration

