

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
 Data File : VV022008.D
 Acq On : 30 Aug 2021 17:03
 Operator : SY/MD
 Sample : M3566-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBKG7

Manual Integrations
 APPROVED

MMDadoda
 8/31/2021 10:01:30 AM

Quant Time: Aug 31 02:39:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 31 02:34:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	369257	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	355384	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	179348	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	96829	37.866	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.740%		
7) Chloroethane-d5	1.565	69	84279	42.204	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	84.400%		
11) 1,1-Dichloroethene-d2	2.105	63	131076	30.994	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	61.980%		
21) 2-Butanone-d5	3.876	46	154278	87.971	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	87.970%		
24) Chloroform-d	4.352	84	194697	41.756	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.520%		
26) 1,2-Dichloroethane-d4	5.034	65	128762	46.884	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.760%		
32) Benzene-d6	5.053	84	433084	44.929	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.860%		
36) 1,2-Dichloropropane-d6	6.072	67	137616	45.397	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	90.800%		
41) Toluene-d8	7.317	98	395977	43.518	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.040%		
43) trans-1,3-Dichloroprop...	7.625	79	59312	41.108	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.220%		
47) 2-Hexanone-d5	8.088	63	117348	100.889	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	100.890%		
56) 1,1,2,2-Tetrachloroeth...	10.217	84	191739	49.387	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	98.780%		
66) 1,2-Dichlorobenzene-d4	11.628	152	161293	45.747	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	91.500%		
Target Compounds					Qvalue	
25) Chloroform	4.384	83	12520m	2.579	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
Data File : VV022008.D
Acq On : 30 Aug 2021 17:03
Operator : SY/MD
Sample : M3566-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
DBKG7

Manual Integrations
APPROVED

MMDadoda
8/31/2021 10:01:30 AM

Quant Time: Aug 31 02:39:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 31 02:34:28 2021
Response via : Initial Calibration





#25
Chloroform
Concen: 2.579 ug/L m
RT: 4.384 min Scan# 1040
Delta R.T. 0.013 min
Lab File: VV022008.D
Acq: 30 Aug 2021 17:03

Tgt Ion: 83 Resp: 12520
Ion Ratio Lower Upper
83 100
85 61.6 46.3 85.9

Instrument :
MSVOA_V
ClientSampleId :
DBKG7

Manual Integrations
APPROVED

MMDadoda
8/31/2021 10:01:30 AM

