

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
 Data File : VV022010.D
 Acq On : 30 Aug 2021 17:52
 Operator : SY/MD
 Sample : M3566-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBKG9

Quant Time: Aug 31 02:40:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 31 02:34:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	371683	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	357153	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	180943	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	96731	37.581	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.160%		
7) Chloroethane-d5	1.564	69	84272	41.925	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	83.840%		
11) 1,1-Dichloroethene-d2	2.105	63	132038	31.018	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	62.040%		
21) 2-Butanone-d5	3.876	46	156142	88.453	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	88.450%		
24) Chloroform-d	4.352	84	197042	41.983	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.960%		
26) 1,2-Dichloroethane-d4	5.034	65	126859	45.889	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.780%		
32) Benzene-d6	5.050	84	434160	44.818	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.640%		
36) 1,2-Dichloropropane-d6	6.072	67	138379	45.422	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	90.840%		
41) Toluene-d8	7.317	98	401985	43.959	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.920%		
43) trans-1,3-Dichloroprop...	7.625	79	58467	40.322	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	80.640%		
47) 2-Hexanone-d5	8.088	63	111592	95.465	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	95.460%		
56) 1,1,2,2-Tetrachloroeth...	10.220	84	188625	48.344	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	96.680%		
66) 1,2-Dichlorobenzene-d4	11.628	152	162305	45.628	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	91.260%		
Target Compounds					Qvalue	
25) Chloroform	4.381	83	11695	2.393	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083021\
Data File : VV022010.D
Acq On : 30 Aug 2021 17:52
Operator : SY/MD
Sample : M3566-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBKG9

Quant Time: Aug 31 02:40:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 31 02:34:28 2021
Response via : Initial Calibration





#25
Chloroform
Concen: 2.393 ug/L
RT: 4.381 min Scan# 1039
Delta R.T. 0.010 min
Lab File: VV022010.D
Acq: 30 Aug 2021 17:52

Instrument :
MSVOA_V
ClientSampleId :
DBKG9

Tgt Ion: 83 Resp: 11695
Ion Ratio Lower Upper
83 100
85 64.4 46.3 85.9

