

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV083118\
 Data File : VV007312.D
 Acq On : 31 Aug 2018 19:56
 Operator : SY/MD
 Sample : J4695-04DL 50X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEE45DL

Quant Time: Sep 01 00:58:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 31 23:57:34 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	578456	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	541381	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	200969	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	158852	45.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.88%
7) Chloroethane-d5	1.58	69	102831	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.44%
11) 1,1-Dichloroethene-d2	2.13	63	219406	33.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.62%
21) 2-Butanone-d5	3.96	46	273871	96.88	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.88%
24) Chloroform-d	4.41	84	355149	47.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.18%
26) 1,2-Dichloroethane-d4	5.09	65	225288	49.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.44%
32) Benzene-d6	5.11	84	706299	48.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.10%
36) 1,2-Dichloropropane-d6	6.12	67	236659	49.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.12%
41) Toluene-d8	7.37	98	560942	43.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.24%
43) trans-1,3-Dichloropropene-	7.67	79	93836	43.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.22%
47) 2-Hexanone-d5	8.15	63	175886	97.86	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.86%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	312495	47.56	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.12%
64) 1,2-Dichlorobenzene-d4	11.68	152	199455	49.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV083118\
Data File : VV007312.D
Acq On : 31 Aug 2018 19:56
Operator : SY/MD
Sample : J4695-04DL 50X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEE45DL

Quant Time: Sep 01 00:58:20 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 31 23:57:34 2018
Response via : Initial Calibration

