

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV083118\
 Data File : VV007334.D
 Acq On : 01 Sep 2018 05:21
 Operator : SY/MD
 Sample : J4695-20 50X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGB5

Quant Time: Sep 01 05:57:00 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 01 01:00:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	612198	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	577230	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	214206	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	181037	48.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.86%
7) Chloroethane-d5	1.58	69	117094	50.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.52%
11) 1,1-Dichloroethene-d2	2.13	63	249166	36.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.56%
21) 2-Butanone-d5	3.96	46	261183	87.30	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.30%
24) Chloroform-d	4.41	84	368595	46.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.36%
26) 1,2-Dichloroethane-d4	5.09	65	230025	47.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.94%
32) Benzene-d6	5.11	84	748429	48.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.50%
36) 1,2-Dichloropropane-d6	6.12	67	244524	47.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.08%
41) Toluene-d8	7.37	98	599574	43.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.44%
43) trans-1,3-Dichloropropene-	7.67	79	93110	40.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.18%
47) 2-Hexanone-d5	8.15	63	165094	86.15	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.15%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	308834	44.08	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.16%
64) 1,2-Dichlorobenzene-d4	11.68	152	217813	50.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.22%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV083118\
Data File : VV007334.D
Acq On : 01 Sep 2018 05:21
Operator : SY/MD
Sample : J4695-20 50X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGB5

Quant Time: Sep 01 05:57:00 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 01 01:00:35 2018
Response via : Initial Calibration

