

(QT Reviewed)


```
Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV083118\  
Data File : VV007290.D  
Acq On    : 31 Aug 2018  10:07  
Operator  : SY/MD  
Sample    : VSTD01072  
Misc      : 5.0 mL/MSVOA_V/WATER  
ALS Vial  : 3      Sample Multiplier: 1
```

Instrument :
MSVOA_V
ClientSampleId :
VSTD01072

Manual Integrations

MMDadoda
9/4/2018 3:03:56 PM

Quant Time: Aug 31 23:42:31 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 31 23:38:48 2018
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV083118\
 Data File : VV007290.D
 Acq On : 31 Aug 2018 10:07
 Operator : SY/MD
 Sample : VSTD01072
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
ClientSampleId :
 VSTD01072

Manual Integrations
APPROVED

MMDadoda
 9/4/2018 3:03:56 PM

Quant Time: Aug 31 23:39:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 31 23:38:48 2018
 Response via : Initial Calibration



TIC: VV007290.D

(2) Dichlorodifluoromethane (T)

1.141min (+0.000) 8.65ug/L

response 42490

Ion	Exp%	Act%
85.00	100	100
87.00	25.40	32.85#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV083118\
 Data File : VV007290.D
 Acq On : 31 Aug 2018 10:07
 Operator : SY/MD
 Sample : VSTD01072
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VSTD01072

Manual Integrations
 APPROVED

MMDadoda
 9/4/2018 3:03:56 PM

Quant Time: Aug 31 23:39:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 31 23:38:48 2018
 Response via : Initial Calibration



TIC: VV007290.D

(2) Dichlorodifluoromethane (T)

1.141min (+0.000) 10.79ug/L m

response 52995

Ion	Exp%	Act%
85.00	100	100
87.00	25.40	26.33
0.00	0.00	0.00
0.00	0.00	0.00

> MD
09/06/18

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VW083118\
 Data File : VW007290.D
 Acq On : 31 Aug 2018 10:07
 Operator : SY/MD
 Sample : VSTD01072
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleID :
 VSTD01072

Manual Integrations
 APPROVED

MMDadoda
 9/4/2018 3:03:56 PM

Quant Time: Aug 31 23:42:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 31 23:38:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	618393	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	594349	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	254446	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	38362	9.13	ug/L	0.00
7) Chloroethane-d5	1.58	69	25853	7.91	ug/L	0.00
11) 1,1-Dichloroethene-d2	2.13	63	70984	9.58	ug/L	0.00
21) 2-Butanone-d5	3.96	46	58516	18.38	ug/L	0.00
24) Chloroform-d	4.41	84	83748	10.08	ug/L	0.00
26) 1,2-Dichloroethane-d4	5.09	65	50533	10.05	ug/L	0.00
32) Benzene-d6	5.11	84	153086	9.17	ug/L	0.00
36) 1,2-Dichloropropane-d6	6.12	67	53746	9.78	ug/L	0.00
41) Toluene-d8	7.36	98	131608	8.93	ug/L	0.00
43) trans-1,3-Dichloropropene-	7.67	79	21709	9.02	ug/L	0.00
47) 2-Hexanone-d5	8.15	63	31879	17.96	ug/L	0.00
57) 1,1,2,2-Tetrachloroethane-	10.27	84	72642	9.89	ug/L	0.00
64) 1,2-Dichlorobenzene-d4	11.68	152	51482	9.78	ug/L	0.00

Target Compounds

					Qvalue
2) Dichlorodifluoromethane	1.14	85	52995m	10.787 ug/L	95
3) Chloromethane	1.26	50	58300	10.093 ug/L	100
5) Vinyl chloride	1.33	62	53166	10.312 ug/L	100
6) Bromomethane	1.54	94	25976	14.360 ug/L	95
8) Chloroethane	1.59	64	25711	8.837 ug/L	99
9) Trichlorofluoromethane	1.77	101	69472	10.632 ug/L	99
10) 1,1,2-Trichloro-1,2,2-trif	2.14	101	42144	10.561 ug/L	91
12) 1,1-Dichloroethene	2.14	96	38957	10.235 ug/L	97
13) Acetone	2.21	43	64025	26.200 ug/L	100
14) Carbon disulfide	2.32	76	114961	9.899 ug/L	98
15) Methyl Acetate	2.47	43	43483	10.263 ug/L	98
16) Methylene chloride	2.54	84	46789	10.819 ug/L	98
17) trans-1,2-Dichloroethene	2.79	96	42357	10.297 ug/L	99
18) Methyl tert-butyl Ether	2.82	73	129376	10.492 ug/L	98
19) 1,1-Dichloroethane	3.23	63	85717	10.262 ug/L	99
20) cis-1,2-Dichloroethene	3.97	96	46583	9.755 ug/L	99
22) 2-Butanone	4.05	43	73645	19.790 ug/L	99
23) Bromochloromethane	4.31	128	24657	10.082 ug/L	99
25) Chloroform	4.44	83	84293	10.297 ug/L	99
27) 1,2-Dichloroethane	5.19	62	61949	10.225 ug/L	99
29) Cyclohexane	4.73	56	56747	8.453 ug/L	99
30) 1,1,1-Trichloroethane	4.67	97	70805	10.390 ug/L	100
31) Carbon tetrachloride	4.88	117	60533	10.347 ug/L	100
33) Benzene	5.15	78	179577	9.759 ug/L	98
34) Trichloroethene	5.96	95	43035	9.611 ug/L	96
35) Methylcyclohexane	6.18	83	59344	8.335 ug/L	96
37) 1,2-Dichloropropane	6.23	63	49556	10.153 ug/L	97
38) Bromodichloromethane	6.56	83	60295	10.083 ug/L	97
39) cis-1,3-Dichloropropene	7.08	75	61184	8.910 ug/L	97
40) 4-Methyl-2-pentanone	7.29	43	99877	17.457 ug/L	98

MO
 09/06/18

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV083118\
 Data File : VV007290.D
 Acq On : 31 Aug 2018 10:07
 Operator : SY/MD
 Sample : VSTD01072
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VSTD01072

Manual Integrations
 APPROVED

MMDadoda
 9/4/2018 3:03:56 PM

Quant Time: Aug 31 23:42:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM083118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 31 23:38:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) Toluene	7.44	91	167016	9.350	ug/L	99
44) trans-1,3-Dichloropropene	7.70	75	57460	9.046	ug/L	100
45) 1,1,2-Trichloroethane	7.89	97	46600	10.282	ug/L	98
46) Tetrachloroethene	8.02	164	36862	9.973	ug/L	97
48) 2-Hexanone	8.20	43	83300	18.284	ug/L	97
49) Dibromochloromethane	8.30	129	47617	10.214	ug/L	99
50) 1,2-Dibromoethane	8.40	107	45841	10.055	ug/L	99
51) Chlorobenzene	8.93	112	117957	9.767	ug/L	99
52) Ethylbenzene	9.06	91	162283	8.734	ug/L	99
53) m,p-Xylene	9.19	106	59273	8.417	ug/L	96
54) o-xylene	9.59	106	57068	8.413	ug/L	100
55) Styrene	9.61	104	93985	8.029	ug/L	100
56) Isopropylbenzene	9.98	105	143349	8.280	ug/L	99
58) 1,1,2,2-Tetrachloroethane	10.29	83	73994	9.941	ug/L	96
59) 1,2,3-Trichloropropane	10.32	75	59352	9.983	ug/L	100
61) Bromoform	9.78	173	34048	11.115	ug/L	99
62) 1,3-Dichlorobenzene	11.23	146	73674	9.564	ug/L	99
63) 1,4-Dichlorobenzene	11.32	146	83921	10.070	ug/L	99
65) 1,2-Dichlorobenzene	11.70	146	82971	10.004	ug/L	97
66) 1,2-Dibromo-3-chloropropan	12.48	75	13836	11.435	ug/L	94
67) 1,3,5-Trichlorobenzene	12.70	180	55244	9.727	ug/L	100
68) 1,2,4-trichlorobenzene	13.31	180	39394	9.116	ug/L	99
69) Naphthalene	13.56	128	87491	7.202	ug/L	99
70) 1,2,3-Trichlorobenzene	13.80	180	43023	9.199	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed