

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW083122\
 Data File : VW027634.D
 Acq On : 31 Aug 2022 23:05
 Operator : SY/MD
 Sample : N4366-02
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5E71

Quant Time: Sep 01 04:15:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR083122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 01 02:22:45 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	125703	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	126796	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	51216	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	72398	5.302	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	106.000%
7) Chloroethane-d5	1.568	69	62710	5.489	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.800%
11) 1,1-Dichloroethene-d2	2.108	63	107536	4.023	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.400%
20) 2-Butanone-d5	3.889	46	72000	31.184	ug/L	-0.05
Spiked Amount	50.000	Range	40 - 130	Recovery	=	62.360%
24) Chloroform-d	4.346	84	132696	4.840	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.800%
26) 1,2-Dichloroethane-d4	5.031	65	63699	5.187	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.800%
32) Benzene-d6	5.047	84	252950	4.870	ug/L	0.01
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.400%
36) 1,2-Dichloropropane-d6	6.066	67	78765	4.903	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.000%
41) Toluene-d8	7.314	98	192794	4.286	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.800%
43) trans-1,3-Dichloroprop...	7.622	79	22179	4.481	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.600%
46) 2-Hexanone-d5	8.088	63	81600	43.845	ug/L	-0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.680%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	48419	4.684	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.600%
66) 1,2-Dichlorobenzene-d4	11.622	152	59353	5.176	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.600%
Target Compounds						
17) Methyl tert-butyl Ether	2.773	73	7234	0.323	ug/L	Qvalue # 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV083122\
Data File : VV027634.D
Acq On : 31 Aug 2022 23:05
Operator : SY/MD
Sample : N4366-02
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5E71

Quant Time: Sep 01 04:15:15 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR083122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 01 02:22:45 2022
Response via : Initial Calibration

