

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090219\
 Data File : VV012541.D
 Acq On : 02 Sep 2019 20:51
 Operator : SY/MD
 Sample : K4607-04
 Misc : 25mL/MSVOA V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFD61

Manual Integrations
 APPROVED

MMDadoda
 9/3/2019 9:10:25 AM

Quant Time: Sep 03 07:27:45 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 03 05:44:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	135528	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	138574	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	56961	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	65021	4.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.80%
7) Chloroethane-d5	1.58	69	66386	5.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.00%
11) 1,1-Dichloroethene-d2	2.13	63	112009	3.49	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.80%
20) 2-Butanone-d5	3.96	46	125623	50.08	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.16%
24) Chloroform-d	4.40	84	99898	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
26) 1,2-Dichloroethane-d4	5.08	65	56466	5.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.60%
32) Benzene-d6	5.10	84	190311	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.40%
36) 1,2-Dichloropropane-d6	6.12	67	61277	5.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.00%
41) Toluene-d8	7.36	98	156044	4.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.40%
43) trans-1,3-Dichloropropene-	7.66	79	19144	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.14	63	71072	42.35	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.70%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	40139	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	55302	5.29	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.80%

Target Compounds					Ovalue
13) Acetone	2.23	43	17616m	4.949 ug/L	
42) Toluene	7.43	91	72494	1.172 ug/L	99
55) Styrene	9.60	104	92075	2.344 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV090219\
Data File : VV012541.D
Acq On : 02 Sep 2019 20:51
Operator : SY/MD
Sample : K4607-04
Misc : 25mL/MSVOA V/WATER
ALS Vial : 28 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BFD61

Manual Integrations
APPROVED

MMDadoda
9/3/2019 9:10:25 AM

Quant Time: Sep 03 07:27:45 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 03 05:44:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.949 ug/L m

RT: 2.23 min Scan# 354

Delta R.T. -0.00 min

Lab File: VV012541.D

Acq: 02 Sep 2019 20:51

Tot Ion: 43 Resp: 17616

Ion Ratio Lower Upper

43 100

58 1.0 0.0 58.2

Instrument :

MSVOA_V





ClientSampleId :

BFD61

Manual Integrations
APPROVED

MMDadoda

9/3/2019 9:10:25 AM



#42

Toluene

Concen: 1.172 ug/L

RT: 7.43 min Scan# 1972

Delta R.T. -0.00 min

Lab File: VV012541.D




Acq: 02 Sep 2019 20:51


Tgt Ion: 91 Resp: 72494

Ion Ratio Lower Upper

91 100

92 56.0 39.6 73.6





#55

Stvrene

Concen: 2.344 ug/L

RT: 9.60 min Scan# 2648

Delta R.T. 0.00 min

Lab File: VV012541.D

Acq: 02 Sep 2019 20:51

Instrument :
MSVOA_V
ClientSampleId :
BFD61

Tot Ion:104 Resp: 92075

Ion Ratio Lower Upper

104 100

78 43.3 32.3 60.1

Manual Integrations
APPROVED

MMDadoda
9/3/2019 9:10:25 AM

