

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090221\
 Data File : VV022089.D
 Acq On : 02 Sep 2021 21:25
 Operator : SY/MD
 Sample : M3647-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F3W28

Quant Time: Sep 03 01:04:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 03 00:59:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	361964	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	332097	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	153413	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	99780	39.806	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.620%
7) Chloroethane-d5	1.564	69	80953	41.355	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.720%
11) 1,1-Dichloroethene-d2	2.105	63	141274	34.078	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.160%
21) 2-Butanone-d5	3.896	46	176792	102.840	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.840%
24) Chloroform-d	4.352	84	203402	44.502	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.000%
26) 1,2-Dichloroethane-d4	5.034	65	126353	46.933	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.860%
32) Benzene-d6	5.050	84	423743	47.043	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.080%
36) 1,2-Dichloropropane-d6	6.072	67	134191	47.371	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.740%
41) Toluene-d8	7.317	98	375678	44.182	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.360%
43) trans-1,3-Dichloroprop...	7.625	79	55290	41.008	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.020%
47) 2-Hexanone-d5	8.091	63	113707	104.613	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.610%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	176536	48.659	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.320%
66) 1,2-Dichlorobenzene-d4	11.625	152	145150	48.128	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.260%
Target Compounds						
46) Tetrachloroethene	7.979	164	51698	24.293	ug/L	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090221\
Data File : VV022089.D
Acq On : 02 Sep 2021 21:25
Operator : SY/MD
Sample : M3647-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F3W28

Quant Time: Sep 03 01:04:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 03 00:59:14 2021
Response via : Initial Calibration





#46
Tetrachloroethene
Concen: 24.293 ug/L
RT: 7.979 min Scan# 2158
Delta R.T. 0.000 min
Lab File: VV022089.D
Acq: 02 Sep 2021 21:25

Instrument :
MSVOA_V
ClientSampleId :
F3W28

Tgt Ion:164 Resp: 51698

Ion	Ratio	Lower	Upper
164	100		
129	92.6	62.9	116.9
131	90.8	61.0	113.4
166	130.9	90.6	168.3

