

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090418\
 Data File : VV007375.D
 Acq On : 05 Sep 2018 11:13
 Operator : SY/MD
 Sample : J4665-19DL 50X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0AB8DL

Quant Time: Sep 06 01:01:09 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 06 00:43:59 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	504333	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	480772	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	178660	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	159977	44.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.82%
7) Chloroethane-d5	1.57	69	114008	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.62%
11) 1,1-Dichloroethene-d2	2.13	63	227191	35.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.60%
21) 2-Butanone-d5	3.96	46	268097	91.49	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.49%
24) Chloroform-d	4.41	84	348100	46.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.42%
26) 1,2-Dichloroethane-d4	5.09	65	219069	48.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.46%
32) Benzene-d6	5.11	84	696401	48.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.12%
36) 1,2-Dichloropropane-d6	6.12	67	235603	48.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.04%
41) Toluene-d8	7.37	98	560575	44.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.88%
43) trans-1,3-Dichloropropene-	7.67	79	92473	44.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.42%
47) 2-Hexanone-d5	8.14	63	170715	89.68	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.68%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	298316	44.98	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.96%
64) 1,2-Dichlorobenzene-d4	11.68	152	208210	54.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.44%

Target Compounds						Ovalue
20) cis-1,2-Dichloroethene	3.97	96	196863	49.17	ug/L	98
34) Trichloroethene	5.96	95	122164	32.54	ug/L	98
46) Tetrachloroethene	8.02	164	47156	15.62	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090418\
Data File : VV007375.D
Acq On : 05 Sep 2018 11:13
Operator : SY/MD
Sample : J4665-19DL 50X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0AB8DL

Quant Time: Sep 06 01:01:09 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 06 00:43:59 2018
Response via : Initial Calibration

