

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090518\
 Data File : VV007410.D
 Acq On : 06 Sep 2018 02:38
 Operator : SY/MD
 Sample : J4751-02 50X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGH3

Quant Time: Sep 06 04:24:17 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 06 02:12:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	480022	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	467451	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	169464	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	139801	40.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.54%
7) Chloroethane-d5	1.56	69	104151	46.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.74%
11) 1,1-Dichloroethene-d2	2.13	63	189935	31.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.90%
21) 2-Butanone-d5	3.96	46	222243	79.69	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	79.69%
24) Chloroform-d	4.40	84	329015	46.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.78%
26) 1,2-Dichloroethane-d4	5.09	65	210513	49.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.40%
32) Benzene-d6	5.10	84	627291	44.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.06%
36) 1,2-Dichloropropane-d6	6.12	67	223129	47.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.52%
41) Toluene-d8	7.36	98	477099	39.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	78.68%#
43) trans-1,3-Dichloropropene-	7.67	79	82742	41.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.28%
47) 2-Hexanone-d5	8.14	63	162728	87.92	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.92%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	311933	48.37	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.74%
64) 1,2-Dichlorobenzene-d4	11.68	152	184748	50.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.46%

Target Compounds					Ovalue
46) Tetrachloroethene	8.02	164	87023	29.65 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV090518\
Data File : VV007410.D
Acq On : 06 Sep 2018 02:38
Operator : SY/MD
Sample : J4751-02 50X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGH3

Quant Time: Sep 06 04:24:17 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 06 02:12:11 2018
Response via : Initial Calibration

