

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090518\
 Data File : VV007387.D
 Acq On : 05 Sep 2018 17:03
 Operator : SY/MD
 Sample : J4719-20
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGF6

Quant Time: Sep 06 01:48:29 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 06 01:44:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	529507	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	528588	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	210112	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	159486	42.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.34%
7) Chloroethane-d5	1.56	69	124702	50.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.66%
11) 1,1-Dichloroethene-d2	2.12	63	213996	32.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.24%
21) 2-Butanone-d5	3.96	46	157378	51.16	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	51.16%
24) Chloroform-d	4.40	84	335447	42.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.76%
26) 1,2-Dichloroethane-d4	5.09	65	214000	45.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.68%
32) Benzene-d6	5.10	84	663023	41.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.24%
36) 1,2-Dichloropropane-d6	6.12	67	228806	42.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.72%
41) Toluene-d8	7.36	98	540711	39.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	78.86%#
43) trans-1,3-Dichloropropene-	7.67	79	94082	41.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.74%
47) 2-Hexanone-d5	8.14	63	140580	67.17	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	67.17%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	304700	41.78	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.56%
64) 1,2-Dichlorobenzene-d4	11.68	152	219914	48.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.40%


Target Compounds					Ovalue
13) Acetone	2.20	43	4404	2.40 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV090518\
Data File : VV007387.D
Acq On : 05 Sep 2018 17:03
Operator : SY/MD
Sample : J4719-20
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGF6

Quant Time: Sep 06 01:48:29 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 06 01:44:11 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.40 ug/L

RT: 2.20 min Scan# 406

Delta R.T. 0.00 min

Lab File: VV007387.D

Acq: 05 Sep 2018 17:03

Instrument :
MSVOA_V
ClientSampleId :
BEGF6

Tot Ion: 43 Resp: 4404

Ion Ratio Lower Upper

43 100

58 40.3 0.0 71.2

