

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090618\
 Data File : VV007425.D
 Acq On : 06 Sep 2018 17:27
 Operator : SY/MD
 Sample : J4719-05
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGE1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.319	62	71	91	rBV2	232388	327597	17.38%	2.341%
2	1.560	140	146	162	rVB	185300	236107	12.53%	1.687%
3	2.126	312	322	335	rBV	430202	604378	32.07%	4.319%
4	3.473	739	741	743	rBV2	506	305	0.02%	0.002%
5	3.762	828	831	833	rBV2	667	477	0.03%	0.003%
6	3.856	856	860	864	rVB3	633	599	0.03%	0.004%
7	3.885	864	869	871	rBV3	540	386	0.02%	0.003%
8	3.962	874	893	935	rBV2	130909	418476	22.20%	2.991%
9	4.309	997	1001	1006	rBV3	605	591	0.03%	0.004%
10	4.405	1013	1031	1057	rBV	316463	764277	40.55%	5.462%
11	4.585	1085	1087	1091	rVB3	617	291	0.02%	0.002%
12	4.621	1095	1098	1100	rVV2	429	284	0.02%	0.002%
13	4.634	1100	1102	1107	rVB4	551	441	0.02%	0.003%
14	4.724	1112	1130	1147	rBV4	16360	41304	2.19%	0.295%
15	4.817	1153	1159	1162	rBV	456	435	0.02%	0.003%
16	4.856	1168	1171	1176	rBV3	504	470	0.02%	0.003%
17	5.100	1226	1247	1280	rBV2	795469	1884818	100.00%	13.471%
18	5.360	1324	1328	1334	rVB2	642	831	0.04%	0.006%
19	5.399	1334	1340	1341	rBV2	565	576	0.03%	0.004%
20	5.450	1352	1356	1363	rVB4	1020	1322	0.07%	0.009%
21	5.483	1363	1366	1370	rBV2	443	401	0.02%	0.003%
22	5.524	1376	1379	1383	rVV4	321	290	0.02%	0.002%
23	5.669	1407	1424	1448	rBV	615532	1213444	64.38%	8.672%
24	5.859	1480	1483	1486	rBV4	796	623	0.03%	0.004%
25	5.946	1500	1510	1523	rVB5	9333	19100	1.01%	0.137%
26	6.023	1531	1534	1535	rBV2	592	332	0.02%	0.002%
27	6.126	1549	1566	1588	rBV	430868	868996	46.11%	6.211%
28	6.328	1627	1629	1632	rBV3	396	300	0.02%	0.002%
29	6.344	1632	1634	1638	rVV4	601	424	0.02%	0.003%
30	6.428	1655	1660	1666	rBV5	456	630	0.03%	0.005%
31	6.624	1718	1721	1722	rVV2	508	323	0.02%	0.002%
32	6.634	1722	1724	1728	rVV3	885	680	0.04%	0.005%
33	6.653	1728	1730	1733	rVV3	747	570	0.03%	0.004%
34	6.669	1733	1735	1739	rVB4	815	546	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090618\
 Data File : VV007425.D
 Acq On : 06 Sep 2018 17:27
 Operator : SY/MD
 Sample : J4719-05
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGE1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Title : VOC Analysis

35	6.727	1744	1753	1759	rBV5	2076	3567	0.19%	0.025%
36	6.872	1793	1798	1800	rBV3	429	362	0.02%	0.003%
37	6.904	1805	1808	1811	rVB4	566	389	0.02%	0.003%
38	7.036	1835	1849	1867	rBV	203328	365718	19.40%	2.614%
39	7.177	1891	1893	1896	rBV3	560	284	0.02%	0.002%
40	7.241	1907	1913	1915	rBV4	322	344	0.02%	0.002%
41	7.299	1928	1931	1936	rVB4	553	480	0.03%	0.003%
42	7.363	1936	1951	1980	rBV	785915	1372653	72.83%	9.810%
43	7.614	2026	2029	2030	rBV2	756	458	0.02%	0.003%
44	7.669	2034	2046	2066	rBV	153250	256003	13.58%	1.830%
45	7.765	2074	2076	2082	rVB6	813	816	0.04%	0.006%
46	7.920	2121	2124	2131	rVB3	1076	994	0.05%	0.007%
47	7.987	2139	2145	2148	rBV4	2910	3636	0.19%	0.026%
48	8.023	2151	2156	2167	rVB7	8518	12899	0.68%	0.092%
49	8.142	2180	2193	2240	rBV2	407077	846453	44.91%	6.049%
50	8.598	2332	2335	2338	rVB4	628	382	0.02%	0.003%
51	8.756	2381	2384	2389	rVB3	553	557	0.03%	0.004%
52	8.788	2389	2394	2396	rBV2	436	340	0.02%	0.002%
53	8.900	2416	2429	2453	rBV	907416	1470441	78.02%	10.509%
54	9.122	2496	2498	2502	rVB3	1506	1008	0.05%	0.007%
55	9.244	2529	2536	2537	rBV3	1811	1797	0.10%	0.013%
56	9.412	2585	2588	2591	rVB3	693	494	0.03%	0.004%
57	9.505	2613	2617	2620	rVB2	398	311	0.02%	0.002%
58	9.630	2653	2656	2658	rBV	413	297	0.02%	0.002%
59	9.862	2725	2728	2732	rVB5	762	521	0.03%	0.004%
60	9.933	2746	2750	2753	rVV2	467	367	0.02%	0.003%
61	10.039	2781	2783	2788	rVB3	483	407	0.02%	0.003%
62	10.068	2788	2792	2796	rBV2	695	564	0.03%	0.004%
63	10.125	2807	2810	2812	rBV	623	308	0.02%	0.002%
64	10.177	2823	2826	2829	rVB2	429	303	0.02%	0.002%
65	10.219	2835	2839	2842	rBV2	508	390	0.02%	0.003%
66	10.267	2842	2854	2890	rVV	570249	920467	48.84%	6.578%
67	10.389	2890	2892	2895	rVB2	556	283	0.02%	0.002%
68	10.428	2895	2904	2914	rBV2	2924	5042	0.27%	0.036%
69	10.469	2914	2917	2920	rVB3	485	312	0.02%	0.002%
70	10.624	2962	2965	2967	rBV3	593	435	0.02%	0.003%
71	10.714	2991	2993	3000	rVB2	672	615	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090618\
 Data File : VV007425.D
 Acq On : 06 Sep 2018 17:27
 Operator : SY/MD
 Sample : J4719-05
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGE1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Title : VOC Analysis

72	10.746	3000	3003	3006	rBV4	870	650	0.03%	0.005%
73	10.772	3009	3011	3014	rVV3	476	348	0.02%	0.002%
74	10.810	3017	3023	3024	rVV3	431	311	0.02%	0.002%
75	10.826	3024	3028	3033	rVV2	385	366	0.02%	0.003%
76	10.852	3033	3036	3044	rVV3	639	678	0.04%	0.005%
77	10.907	3049	3053	3056	rBV3	745	690	0.04%	0.005%
78	11.299	3163	3175	3204	rBV	678793	1144364	60.71%	8.179%
79	11.399	3204	3206	3210	rVB2	998	487	0.03%	0.003%
80	11.441	3216	3219	3223	rVB3	543	283	0.02%	0.002%
81	11.460	3223	3225	3231	rBV3	338	356	0.02%	0.003%
82	11.588	3255	3265	3269	rBV8	2853	4938	0.26%	0.035%
83	11.678	3279	3293	3316	rBV	670579	1142859	60.63%	8.168%
84	11.833	3338	3341	3342	rBV2	457	312	0.02%	0.002%
85	12.177	3445	3448	3451	rBV2	643	320	0.02%	0.002%
86	12.238	3462	3467	3471	rVB3	607	604	0.03%	0.004%
87	12.296	3481	3485	3486	rBV2	833	545	0.03%	0.004%
88	12.405	3517	3519	3523	rVB3	606	418	0.02%	0.003%
89	12.514	3549	3553	3554	rBV2	648	381	0.02%	0.003%
90	12.775	3632	3634	3642	rBV4	344	439	0.02%	0.003%
91	12.939	3679	3685	3695	rBV6	1370	2024	0.11%	0.014%
92	12.984	3695	3699	3701	rBV2	591	427	0.02%	0.003%
93	13.100	3733	3735	3739	rVB3	665	349	0.02%	0.002%
94	13.270	3786	3788	3792	rBV3	514	363	0.02%	0.003%
95	13.321	3800	3804	3808	rBV3	486	540	0.03%	0.004%
96	13.662	3902	3910	3919	rVB5	5977	9451	0.50%	0.068%
97	13.752	3930	3938	3951	rVB6	10035	15855	0.84%	0.113%
98	13.926	3988	3992	3997	rBV4	620	750	0.04%	0.005%
99	13.961	4001	4003	4010	rVV4	1071	993	0.05%	0.007%
100	14.276	4099	4101	4104	rBV3	1068	719	0.04%	0.005%

Sum of corrected areas: 13992141

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV090618\
Data File : VV007425.D
Acq On : 06 Sep 2018 17:27
Operator : SY/MD
Sample : J4719-05
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGE1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV090618\
Data File : VV007425.D
Acq On : 06 Sep 2018 17:27
Operator : SY/MD
Sample : J4719-05
Misc : 5.0 mL/MSV0A_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
BEGE1

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc