

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090618\
 Data File : VV007436.D
 Acq On : 06 Sep 2018 22:02
 Operator : SY/MD
 Sample : J4719-17 10X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGF3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.322	64	72	88	rVB	213211	262949	7.78%	1.562%
2	1.556	140	145	163	rVB	182357	235187	6.96%	1.397%
3	2.126	312	322	335	rBV	410719	571106	16.89%	3.394%
4	3.431	726	728	733	rVB2	632	375	0.01%	0.002%
5	3.605	780	782	784	rBV3	372	214	0.01%	0.001%
6	3.653	793	797	803	rBV2	446	454	0.01%	0.003%
7	3.962	875	893	932	rBV2	130120	431711	12.77%	2.565%
8	4.125	943	944	948	rVB2	657	233	0.01%	0.001%
9	4.225	969	975	979	rBV5	736	1019	0.03%	0.006%
10	4.270	986	989	993	rBV4	552	482	0.01%	0.003%
11	4.318	1002	1004	1006	rBV3	365	200	0.01%	0.001%
12	4.405	1012	1031	1062	rBV	304783	728939	21.56%	4.331%
13	4.624	1093	1099	1103	rVB4	655	609	0.02%	0.004%
14	4.688	1116	1119	1122	rBV2	427	390	0.01%	0.002%
15	4.711	1122	1126	1128	rVV3	715	549	0.02%	0.003%
16	4.749	1136	1138	1140	rVB	672	334	0.01%	0.002%
17	4.878	1173	1178	1181	rBV2	425	400	0.01%	0.002%
18	4.955	1198	1202	1205	rBB	577	377	0.01%	0.002%
19	4.987	1205	1212	1216	rBV3	277	337	0.01%	0.002%
20	5.096	1228	1246	1276	rBV2	776406	1823513	53.93%	10.835%
21	5.280	1302	1303	1307	rVB3	1141	429	0.01%	0.003%
22	5.299	1307	1309	1311	rBV	352	218	0.01%	0.001%
23	5.399	1337	1340	1344	rBV2	346	303	0.01%	0.002%
24	5.421	1344	1347	1351	rVV2	677	450	0.01%	0.003%
25	5.450	1354	1356	1360	rVB2	451	305	0.01%	0.002%
26	5.537	1381	1383	1390	rVB2	610	310	0.01%	0.002%
27	5.582	1393	1397	1400	rBV	661	488	0.01%	0.003%
28	5.669	1409	1424	1453	rBV	599662	1176960	34.81%	6.994%
29	5.961	1502	1515	1530	rVB3	60257	122618	3.63%	0.729%
30	6.122	1550	1565	1589	rBV	425395	858043	25.38%	5.099%
31	6.296	1616	1619	1622	rVB4	1434	905	0.03%	0.005%
32	6.312	1622	1624	1628	rBV2	526	297	0.01%	0.002%
33	6.331	1628	1630	1632	rBV3	389	207	0.01%	0.001%
34	6.592	1708	1711	1715	rBV3	308	274	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090618\
 Data File : VV007436.D
 Acq On : 06 Sep 2018 22:02
 Operator : SY/MD
 Sample : J4719-17 10X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGF3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Title : VOC Analysis

35	6.666	1726	1734	1737	rVV6	563	878	0.03%	0.005%
36	6.723	1745	1752	1758	rBV5	1969	2817	0.08%	0.017%
37	6.797	1768	1775	1779	rBV4	456	554	0.02%	0.003%
38	6.820	1779	1782	1784	rBV2	514	349	0.01%	0.002%
39	6.916	1805	1812	1814	rBV2	503	524	0.02%	0.003%
40	6.929	1814	1816	1819	rVB	372	209	0.01%	0.001%
41	6.952	1820	1823	1828	rVB3	398	361	0.01%	0.002%
42	6.974	1828	1830	1833	rVB2	609	346	0.01%	0.002%
43	7.035	1833	1849	1867	rBV	190903	342285	10.12%	2.034%
44	7.167	1887	1890	1892	rBV2	665	469	0.01%	0.003%
45	7.238	1910	1912	1916	rVB4	577	370	0.01%	0.002%
46	7.260	1916	1919	1921	rBV2	522	267	0.01%	0.002%
47	7.283	1924	1926	1929	rVB4	559	303	0.01%	0.002%
48	7.363	1937	1951	1980	rBV	750779	1314821	38.88%	7.813%
49	7.585	2017	2020	2024	rBV3	818	675	0.02%	0.004%
50	7.624	2030	2032	2034	rBV2	377	196	0.01%	0.001%
51	7.669	2034	2046	2064	rVV	105129	174362	5.16%	1.036%
52	7.788	2081	2083	2084	rBV2	487	226	0.01%	0.001%
53	7.936	2127	2129	2134	rBV3	528	483	0.01%	0.003%
54	8.022	2137	2156	2179	rBV	2016246	3381441	100.00%	20.093%
55	8.141	2182	2193	2223	rVV2	427246	826971	24.46%	4.914%
56	8.617	2339	2341	2347	rVB3	641	408	0.01%	0.002%
57	8.646	2347	2350	2354	rBV3	568	494	0.01%	0.003%
58	8.711	2367	2370	2373	rVB2	379	209	0.01%	0.001%
59	8.739	2375	2379	2382	rVV3	605	381	0.01%	0.002%
60	8.762	2382	2386	2388	rBV3	277	245	0.01%	0.001%
61	8.794	2393	2396	2399	rVB3	473	286	0.01%	0.002%
62	8.839	2406	2410	2413	rBV2	418	403	0.01%	0.002%
63	8.900	2416	2429	2459	rBV	899046	1469158	43.45%	8.730%
64	9.164	2508	2511	2513	rBV3	381	272	0.01%	0.002%
65	9.180	2514	2516	2518	rVB2	549	205	0.01%	0.001%
66	9.215	2525	2527	2530	rVB3	399	218	0.01%	0.001%
67	9.296	2550	2552	2554	rBV2	574	351	0.01%	0.002%
68	9.437	2593	2596	2597	rBV2	369	234	0.01%	0.001%
69	9.588	2638	2643	2647	rBV5	447	428	0.01%	0.003%
70	9.682	2669	2672	2677	rVB4	431	421	0.01%	0.003%
71	9.858	2724	2727	2730	rBV3	448	269	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090618\
 Data File : VV007436.D
 Acq On : 06 Sep 2018 22:02
 Operator : SY/MD
 Sample : J4719-17 10X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BEGF3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
 Title : VOC Analysis

72	9.955	2753	2757	2759	rBV2	424	340	0.01%	0.002%
73	10.055	2785	2788	2792	rVB3	519	366	0.01%	0.002%
74	10.100	2800	2802	2809	rVB2	400	282	0.01%	0.002%
75	10.267	2842	2854	2887	rVV	572184	928206	27.45%	5.515%
76	10.379	2887	2889	2894	rVB2	442	254	0.01%	0.002%
77	10.643	2968	2971	2973	rBV2	506	331	0.01%	0.002%
78	10.759	3005	3007	3012	rVB3	730	600	0.02%	0.004%
79	10.935	3057	3062	3065	rBV3	430	444	0.01%	0.003%
80	11.106	3112	3115	3118	rVV3	313	209	0.01%	0.001%
81	11.302	3163	3176	3201	rBV	623297	1071077	31.68%	6.364%
82	11.472	3227	3229	3232	rVB2	665	325	0.01%	0.002%
83	11.489	3232	3234	3237	rBV3	520	293	0.01%	0.002%
84	11.588	3260	3265	3270	rBV5	565	675	0.02%	0.004%
85	11.678	3278	3293	3320	rBV	619878	1073573	31.75%	6.379%
86	11.948	3372	3377	3378	rBV2	545	474	0.01%	0.003%
87	12.161	3441	3443	3447	rVB3	591	348	0.01%	0.002%
88	12.183	3448	3450	3454	rBV	482	266	0.01%	0.002%
89	12.321	3488	3493	3498	rBV6	736	766	0.02%	0.005%
90	12.411	3518	3521	3523	rBV2	423	239	0.01%	0.001%
91	12.595	3575	3578	3580	rBV2	357	228	0.01%	0.001%
92	12.900	3671	3673	3678	rBV2	410	301	0.01%	0.002%
93	12.932	3679	3683	3685	rBV2	1035	670	0.02%	0.004%
94	13.206	3765	3768	3779	rVB6	944	1221	0.04%	0.007%
95	13.251	3779	3782	3786	rBV4	673	524	0.02%	0.003%
96	13.415	3831	3833	3837	rBV3	703	422	0.01%	0.003%
97	13.726	3927	3930	3931	rBV3	572	347	0.01%	0.002%
98	14.067	4034	4036	4039	rBV2	690	330	0.01%	0.002%
99	14.363	4125	4128	4131	rVB4	1248	865	0.03%	0.005%
100	14.578	4191	4195	4198	rBV4	973	1152	0.03%	0.007%


Sum of corrected areas: 16829202

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV090618\
Data File : VV007436.D
Acq On : 06 Sep 2018 22:02
Operator : SY/MD
Sample : J4719-17 10X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGF3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV090618\
Data File : VV007436.D
Acq On : 06 Sep 2018 22:02
Operator : SY/MD
Sample : J4719-17 10X
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGF3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV090618\
Data File : VV007436.D
Acq On : 06 Sep 2018 22:02
Operator : SY/MD
Sample : J4719-17 10X
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BEGF3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090418WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc
