

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV090619\
 Data File : VV012600.D
 Acq On : 06 Sep 2019 16:29
 Operator : SY/MD
 Sample : K4703-03
 Misc : 25mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFD86

Manual Integrations
 APPROVED

MMDadoda
 9/8/2019 11:39:53 AM

Quant Time: Sep 07 01:26:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Sep 07 01:06:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	153527	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	157536	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	55077	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	65737	4.58	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.60%
7) Chloroethane-d5	1.58	69	66155	5.08	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.60%
11) 1,1-Dichloroethene-d2	2.13	63	107184	3.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.60%
20) 2-Butanone-d5	3.97	46	144436	51.58	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.16%
24) Chloroform-d	4.40	84	104795	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.00%
26) 1,2-Dichloroethane-d4	5.08	65	56908	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.80%
32) Benzene-d6	5.10	84	191724	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
36) 1,2-Dichloropropane-d6	6.12	67	63451	4.96	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.20%
41) Toluene-d8	7.36	98	149264	4.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.80%
43) trans-1,3-Dichloropropene-	7.67	79	18296	4.07	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.40%
46) 2-Hexanone-d5	8.14	63	70259	40.92	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.84%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	39159	4.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	49545	5.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.80%

Target Compounds				Ovalue
13) Acetone	2.22	43	12632m	3.718 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV090619\
Data File : VV012600.D
Acq On : 06 Sep 2019 16:29
Operator : SY/MD
Sample : K4703-03
Misc : 25mL/MSVOA V/WATER
ALS Vial : 14 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BFD86

Manual Integrations
APPROVED

MMDadoda
9/8/2019 11:39:53 AM

Quant Time: Sep 07 01:26:04 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Sep 07 01:06:07 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.718 ug/L m

RT: 2.22 min Scan# 352

Delta R.T. -0.01 min

Lab File: VV012600.D

Acq: 06 Sep 2019 16:29

Instrument :

MSVOA_V

ClientSampleId :

BFD86

Tot Ion: 43 Resp: 12632

Ion Ratio Lower Upper

43 100

58 23.6 0.0 57.0

Manual Integrations

APPROVED

MMDadoda

9/8/2019 11:39:53 AM

