

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090821\
 Data File : VV022126.D
 Acq On : 08 Sep 2021 13:58
 Operator : SY/MD
 Sample : M3651-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBKN3

Quant Time: Sep 09 08:29:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 09 08:27:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	324629	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	302293	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	139593	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	110568	49.183	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.360%
7) Chloroethane-d5	1.564	69	88299	50.296	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.600%
11) 1,1-Dichloroethene-d2	2.105	63	152808	41.100	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.200%
21) 2-Butanone-d5	3.896	46	167116	108.391	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.390%
24) Chloroform-d	4.352	84	202306	49.353	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.700%
26) 1,2-Dichloroethane-d4	5.034	65	128556	53.243	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.480%
32) Benzene-d6	5.050	84	425575	51.904	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.800%
36) 1,2-Dichloropropane-d6	6.072	67	133628	51.823	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.640%
41) Toluene-d8	7.317	98	381590	49.302	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.600%
43) trans-1,3-Dichloroprop...	7.625	79	56418	45.970	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.940%
47) 2-Hexanone-d5	8.092	63	105203	106.332	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.330%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	173515	52.542	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.080%
66) 1,2-Dichlorobenzene-d4	11.625	152	146276	53.303	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.600%
Target Compounds						
					Qvalue	
13) Acetone	2.182	43	8847	6.848	ug/L	# 70
42) Toluene	7.400	91	8285	0.873	ug/L	94
53) m,p-Xylene	9.146	106	3544	0.887	ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090821\
Data File : VV022126.D
Acq On : 08 Sep 2021 13:58
Operator : SY/MD
Sample : M3651-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBKN3

Quant Time: Sep 09 08:29:29 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 09 08:27:48 2021
Response via : Initial Calibration









#13
Acetone
Concen: 6.848 ug/L
RT: 2.182 min Scan# 355
Delta R.T. 0.023 min
Lab File: VV022126.D
Acq: 08 Sep 2021 13:58




Instrument :
MSVOA_V
ClientSampleId :
DBKN3


Tgt Ion: 43 Resp: 8847
Ion Ratio Lower Upper
43 100
58 39.1 0.0 0.4#



#42
Toluene
Concen: 0.873 ug/L
RT: 7.400 min Scan# 1978
Delta R.T. 0.013 min
Lab File: VV022126.D
Acq: 08 Sep 2021 13:58

Tgt Ion: 91 Resp: 8285
Ion Ratio Lower Upper
91 100
92 61.7 40.3 74.8





#53
 m,p-Xylene
 Concen: 0.887 ug/L
 RT: 9.146 min Scan# 2521
 Delta R.T. 0.010 min
 Lab File: VV022126.D
 Acq: 08 Sep 2021 13:58

Instrument :
 MSVOA_V
 ClientSampleId :
 DBKN3

Tgt Ion:106 Resp: 3544
 Ion Ratio Lower Upper
 106 100
 91 172.8 139.1 258.3

