

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091019\
 Data File : VV012662.D
 Acq On : 10 Sep 2019 17:49
 Operator : SY/MD
 Sample : K4809-03
 Misc : 25mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFDC0

Quant Time: Sep 11 06:54:17 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 11 05:21:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	406999	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	401933	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	157056	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	107936	3.91	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.20%
7) Chloroethane-d5	1.58	69	97626	4.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.60%
11) 1,1-Dichloroethene-d2	2.13	63	129112	2.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.00%#
20) 2-Butanone-d5	3.97	46	357816	53.86	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.72%
24) Chloroform-d	4.40	84	220255	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.80%
26) 1,2-Dichloroethane-d4	5.08	65	117439	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.80%
32) Benzene-d6	5.09	84	408615	4.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.00%
36) 1,2-Dichloropropane-d6	6.12	67	138609	4.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.00%
41) Toluene-d8	7.36	98	318237	3.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.00%
43) trans-1,3-Dichloropropene-	7.66	79	42841	4.09	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.80%
46) 2-Hexanone-d5	8.14	63	165556	41.71	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.42%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	98267	4.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.80%
64) 1,2-Dichlorobenzene-d4	11.67	152	134159	4.99	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.80%

Target Compounds					Ovalue
42) Toluene	7.43	91	14004	0.115 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091019\
Data File : VV012662.D
Acq On : 10 Sep 2019 17:49
Operator : SY/MD
Sample : K4809-03
Misc : 25mL/MSVOA V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFDC0

Quant Time: Sep 11 06:54:17 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 11 05:21:41 2019
Response via : Initial Calibration

