

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091319\
 Data File : VV012752.D
 Acq On : 14 Sep 2019 02:25
 Operator : SY/MD
 Sample : K4868-09
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COML6

Quant Time: Sep 14 04:00:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 14 00:58:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	718465	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	656166	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	229157	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	195755	48.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.14%
7) Chloroethane-d5	1.58	69	191521	52.56	ug/L	0.01
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.12%
11) 1,1-Dichloroethene-d2	2.13	63	299828	37.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.72%
21) 2-Butanone-d5	3.92	46	485033	114.86	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.86%
24) Chloroform-d	4.40	84	528709	52.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.80%
26) 1,2-Dichloroethane-d4	5.08	65	340885	55.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.40%
32) Benzene-d6	5.10	84	978651	55.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.78%
36) 1,2-Dichloropropane-d6	6.12	67	357489	57.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	115.72%
41) Toluene-d8	7.36	98	818630	51.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.22%
43) trans-1,3-Dichloropropene-	7.66	79	133009	51.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	103.34%
47) 2-Hexanone-d5	8.13	63	246714	104.07	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.07%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	417784	52.85	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.70%
64) 1,2-Dichlorobenzene-d4	11.67	152	324551	62.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	124.10%#

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
12) 1,1-Dichloroethene	2.14	96	22790	6.018	ug/L	# 1
20) cis-1,2-Dichloroethene	3.96	96	31527	6.155	ug/L	100
30) 1,1,1-Trichloroethane	4.66	97	20554	2.996	ug/L	97
34) Trichloroethene	5.96	95	314315	60.582	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091319\
Data File : VV012752.D
Acq On : 14 Sep 2019 02:25
Operator : SY/MD
Sample : K4868-09
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampled :
COML6

Quant Time: Sep 14 04:00:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 14 00:58:35 2019
Response via : Initial Calibration

