

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091319\
 Data File : VV012756.D
 Acq On : 14 Sep 2019 04:03
 Operator : SY/MD
 Sample : K4867-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMG2

Quant Time: Sep 14 05:03:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 14 00:58:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	740538	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	698283	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	248835	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	185016	44.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.16%
7) Chloroethane-d5	1.58	69	180774	48.13	ug/L	0.01
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.26%
11) 1,1-Dichloroethene-d2	2.13	63	283097	34.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.36%
21) 2-Butanone-d5	3.92	46	427588	98.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.24%
24) Chloroform-d	4.40	84	496448	47.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.48%
26) 1,2-Dichloroethane-d4	5.08	65	313948	49.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.54%
32) Benzene-d6	5.10	84	924235	49.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.20%
36) 1,2-Dichloropropane-d6	6.12	67	333125	50.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.34%
41) Toluene-d8	7.36	98	780952	45.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.62%
43) trans-1,3-Dichloropropene-	7.66	79	124880	45.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.18%
47) 2-Hexanone-d5	8.13	63	218854	86.75	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.75%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	384536	45.71	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.42%
64) 1,2-Dichlorobenzene-d4	11.67	152	315579	55.57	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.14%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091319\
Data File : VV012756.D
Acq On : 14 Sep 2019 04:03
Operator : SY/MD
Sample : K4867-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0MG2

Quant Time: Sep 14 05:03:10 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 14 00:58:35 2019
Response via : Initial Calibration

