

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091319\
 Data File : VV012762.D
 Acq On : 14 Sep 2019 12:28
 Operator : SY/MD
 Sample : IBLK
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK72

Quant Time: Sep 16 04:51:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Sep 16 04:18:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	737990	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	700029	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	274894	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	179092	42.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.64%
7) Chloroethane-d5	1.58	69	176414	47.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.26%
11) 1,1-Dichloroethene-d2	2.13	63	280089	34.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.86%
21) 2-Butanone-d5	3.92	46	450211	103.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.80%
24) Chloroform-d	4.40	84	495535	47.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.64%
26) 1,2-Dichloroethane-d4	5.08	65	315977	50.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.52%
32) Benzene-d6	5.10	84	920376	49.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.54%
36) 1,2-Dichloropropane-d6	6.12	67	334863	50.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.60%
41) Toluene-d8	7.36	98	796695	46.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.24%
43) trans-1,3-Dichloropropene-	7.66	79	128934	46.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.90%
47) 2-Hexanone-d5	8.13	63	232983	92.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.12%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	385762	45.75	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.50%
64) 1,2-Dichlorobenzene-d4	11.67	152	341812	54.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.96%

Target Compounds					Ovalue
65) 1,2-Dichlorobenzene	11.69	146	14495	1.624 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091319\
Data File : VV012762.D
Acq On : 14 Sep 2019 12:28
Operator : SY/MD
Sample : IBLK
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK72

Quant Time: Sep 16 04:51:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Sep 16 04:18:41 2019
Response via : Initial Calibration

