

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091319\
 Data File : VV012783.D
 Acq On : 14 Sep 2019 22:13
 Operator : SY/MD
 Sample : K4867-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMH6

Quant Time: Sep 16 06:30:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Sep 16 04:57:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	695659	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	654072	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	228915	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	147565	37.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.86%
7) Chloroethane-d5	1.58	69	152541	43.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.46%
11) 1,1-Dichloroethene-d2	2.13	63	239727	31.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.52%
21) 2-Butanone-d5	3.92	46	421048	102.98	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.98%
24) Chloroform-d	4.40	84	447816	45.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.68%
26) 1,2-Dichloroethane-d4	5.08	65	294606	49.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.42%
32) Benzene-d6	5.10	84	819364	46.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.88%
36) 1,2-Dichloropropane-d6	6.12	67	302591	49.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.26%
41) Toluene-d8	7.36	98	699593	43.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.62%
43) trans-1,3-Dichloropropene-	7.66	79	110815	43.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.38%
47) 2-Hexanone-d5	8.13	63	209287	88.57	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.57%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	354010	44.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.86%
64) 1,2-Dichlorobenzene-d4	11.67	152	287141	54.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.92%


Target Compounds					Ovalue
34) Trichloroethene	5.96	95	7852	1.518 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091319\
Data File : VV012783.D
Acq On : 14 Sep 2019 22:13
Operator : SY/MD
Sample : K4867-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMH6

Quant Time: Sep 16 06:30:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Sep 16 04:57:02 2019
Response via : Initial Calibration





#34

Trichloroethene

Concen: 1.518 ug/L

RT: 5.96 min Scan# 1514

Delta R.T. 0.00 min

Lab File: VV012783.D


Acq: 14 Sep 2019 22:13

Instrument :

MSVOA_V

ClientSampleId :

COMH6



Tot Ion: 95 Resp: 7852

Ion Ratio Lower Upper

95 100

97 70.3 45.1 83.9

132 103.1 70.6 131.0

130 99.1 74.6 138.6

Abundance Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

