

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091319\
 Data File : VV012784.D
 Acq On : 14 Sep 2019 22:37
 Operator : SY/MD
 Sample : K4867-17
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0MH7

Manual Integrations
 APPROVED

MMDadoda
 9/16/2019 1:22:06 PM

Quant Time: Sep 16 06:33:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Sep 16 04:57:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	689861	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	649572	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	233505	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	148471	37.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	75.94%
7) Chloroethane-d5	1.58	69	153442	43.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.70%
11) 1,1-Dichloroethene-d2	2.13	63	237491m	31.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.46%
21) 2-Butanone-d5	3.92	46	427582	105.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.46%
24) Chloroform-d	4.40	84	458194	47.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.60%
26) 1,2-Dichloroethane-d4	5.08	65	296470	50.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.90%
32) Benzene-d6	5.10	84	834165	48.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.24%
36) 1,2-Dichloropropane-d6	6.12	67	304910	49.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.70%
41) Toluene-d8	7.36	98	701468	44.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.48%
43) trans-1,3-Dichloropropene-	7.66	79	111811	43.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.76%
47) 2-Hexanone-d5	8.13	63	218630	93.16	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.16%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	373193	47.69	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.38%
64) 1,2-Dichlorobenzene-d4	11.67	152	286797	53.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.62%

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091319\
Data File : VV012784.D
Acq On : 14 Sep 2019 22:37
Operator : SY/MD
Sample : K4867-17
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMH7

Manual Integrations
APPROVED

MMDadoda
9/16/2019 1:22:06 PM

Quant Time: Sep 16 06:33:18 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM091319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Sep 16 04:57:02 2019
Response via : Initial Calibration

