

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091323\
 Data File : VV032073.D
 Acq On : 13 Sep 2023 13:55
 Operator : SY/MD
 Sample : 04387-06ME
 Misc : 2.14g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Sep 14 06:22:37 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 14 06:19:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	323425	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	312250	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.191	152	160383	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	101664	50.227	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.460%
7) Chloroethane-d5	1.458	69	119	0.067	ug/L	-0.07
Spiked Amount	50.000	Range	70 - 130	Recovery	=	0.140%#
11) 1,1-Dichloroethene-d2	2.034	65	42269	44.597	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.200%
21) 2-Butanone-d5	3.802	46	204508	128.463	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	128.460%
24) Chloroform-d	4.249	84	204862	46.305	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.620%
26) 1,2-Dichloroethane-d4	4.941	65	138551	47.190	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.380%
32) Benzene-d6	4.957	84	427794	50.208	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.420%
36) 1,2-Dichloropropane-d6	5.989	67	150346	54.822	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.640%
41) Toluene-d8	7.246	98	379590	48.351	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.700%
43) trans-1,3-Dichloroprop...	7.558	79	68044	47.870	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.740%
47) 2-Hexanone-d5	8.040	63	127511	151.700	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	151.700%#
56) 1,1,2,2-Tetrachloroeth...	10.162	84	197946	55.856	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	111.720%
66) 1,2-Dichlorobenzene-d4	11.567	152	151452	51.802	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.600%
Target Compounds						Qvalue
15) Methyl Acetate	2.381	43	4435	1.755	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091323\
Data File : VV032073.D
Acq On : 13 Sep 2023 13:55
Operator : SY/MD
Sample : 04387-06ME
Misc : 2.14g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Sep 14 06:22:37 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 14 06:19:55 2023
Response via : Initial Calibration





#15
Methyl Acetate
Concen: 1.755 ug/L
RT: 2.381 min Scan# 41
Delta R.T. 0.010 min
Lab File: VV032073.D
Acq: 13 Sep 2023 13:55

Instrument :
MSVOA_V
ClientSampleId :



Tgt Ion: 43 Resp: 4435
Ion Ratio Lower Upper
43 100
74 22.5 17.9 26.9

