

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW091323\
 Data File : VW032077.D
 Acq On : 13 Sep 2023 15:29
 Operator : SY/MD
 Sample : 04387-14ME
 Misc : 3.52g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Sep 14 06:23:30 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 14 06:19:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	251909	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	242754	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.191	152	124562	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	60492	38.370	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	76.740%		
7) Chloroethane-d5	1.503	69	13665	9.888	ug/L	-0.03
Spiked Amount 50.000	Range 70 - 130		Recovery =	19.780%#		
11) 1,1-Dichloroethene-d2	2.031	65	24646	33.386	ug/L	-0.03
Spiked Amount 50.000	Range 60 - 125		Recovery =	66.780%		
21) 2-Butanone-d5	3.805	46	114849	92.625	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	92.620%		
24) Chloroform-d	4.249	84	122255	35.478	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	70.960%		
26) 1,2-Dichloroethane-d4	4.944	65	82552	36.099	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	72.200%		
32) Benzene-d6	4.957	84	252333	38.094	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	76.180%		
36) 1,2-Dichloropropane-d6	5.992	67	87775	41.169	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	82.340%		
41) Toluene-d8	7.246	98	219058	35.891	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	71.780%#		
43) trans-1,3-Dichloroprop...	7.561	79	39987	36.185	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	72.380%		
47) 2-Hexanone-d5	8.043	63	72473	110.905	ug/L	0.02
Spiked Amount 100.000	Range 45 - 130		Recovery =	110.900%		
56) 1,1,2,2-Tetrachloroeth...	10.162	84	114587	41.591	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	83.180%		
66) 1,2-Dichlorobenzene-d4	11.567	152	86221	37.971	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	75.940%#		
Target Compounds						Qvalue
15) Methyl Acetate	2.381	43	4782	2.430	ug/L	94
39) cis-1,3-Dichloropropene	6.915	75	2430	0.756	ug/L #	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091323\
Data File : VV032077.D
Acq On : 13 Sep 2023 15:29
Operator : SY/MD
Sample : 04387-14ME
Misc : 3.52g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Sep 14 06:23:30 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 14 06:19:55 2023
Response via : Initial Calibration








#15
Methyl Acetate
Concen: 2.430 ug/L
RT: 2.381 min Scan# 414
Delta R.T. 0.010 min
Lab File: VV032077.D
Acq: 13 Sep 2023 15:29

Instrument :
MSVOA_V
ClientSampleId :



Tgt Ion: 43 Resp: 4782
Ion Ratio Lower Upper
43 100
74 25.4 17.9 26.9



#39
cis-1,3-Dichloropropene
Concen: 0.756 ug/L
RT: 6.915 min Scan# 1827
Delta R.T. -0.042 min
Lab File: VV032077.D
Acq: 13 Sep 2023 15:29

Tgt Ion: 75 Resp: 2430
Ion Ratio Lower Upper
75 100
77 48.4 21.4 39.8#

