

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091420\
 Data File : VV018205.D
 Acq On : 14 Sep 2020 15:50
 Operator : SY/MD
 Sample : L4012-02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFWR3

Quant Time: Sep 15 06:05:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 15 05:21:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	294813	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	296175	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	145244	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	92501	38.50	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.00%
7) Chloroethane-d5	1.58	69	86188	43.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.68%
11) 1,1-Dichloroethene-d2	2.12	63	142907	32.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.86%
21) 2-Butanone-d5	3.91	46	145269	98.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.78%
24) Chloroform-d	4.38	84	196908	47.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.48%
26) 1,2-Dichloroethane-d4	5.06	65	131853	49.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.68%
32) Benzene-d6	5.08	84	389152	45.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.80%
36) 1,2-Dichloropropane-d6	6.10	67	127656	47.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.76%
41) Toluene-d8	7.34	98	345341	44.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.38%
43) trans-1,3-Dichloropropene-	7.64	79	62445	45.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.22%
47) 2-Hexanone-d5	8.11	63	109919	107.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.71%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	173513	51.32	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.64%
64) 1,2-Dichlorobenzene-d4	11.65	152	150232	50.36	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.72%


Target Compounds					Ovalue
13) Acetone	2.20	43	3301	2.803 ug/L	78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091420\
Data File : VV018205.D
Acq On : 14 Sep 2020 15:50
Operator : SY/MD
Sample : L4012-02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFWR3

Quant Time: Sep 15 06:05:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 15 05:21:42 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.803 ug/L
 RT: 2.20 min Scan# 345
 Delta R.T. 0.00 min
 Lab File: VV018205.D
 Acq: 14 Sep 2020 15:50

Instrument :
 MSVOA_V
 ClientSampleId :
 BFWR3

Tot Ion: 43 Resp: 3301
 Ion Ratio Lower Upper
 43 100
 58 20.9 0.0 67.4

