

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW091422\
 Data File : VW027834.D
 Acq On : 14 Sep 2022 17:35
 Operator : SY/MD
 Sample : N4618-05
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0E27

Quant Time: Sep 15 02:52:32 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR090622WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 15 02:47:38 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	124910	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	126812	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	60156	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	33586	4.079	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.600%
7) Chloroethane-d5	1.568	69	32614	4.669	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.400%
11) 1,1-Dichloroethene-d2	2.108	63	58038	3.322	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.400%
20) 2-Butanone-d5	3.892	46	45192	24.766	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	49.540%
24) Chloroform-d	4.346	84	80728	4.788	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.800%
26) 1,2-Dichloroethane-d4	5.034	65	39558	4.406	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.200%
32) Benzene-d6	5.047	84	147421	4.007	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.200%
36) 1,2-Dichloropropane-d6	6.069	67	43343	4.024	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	80.400%
41) Toluene-d8	7.313	98	119684	3.869	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.400%
43) trans-1,3-Dichloroprop...	7.625	79	13748	3.805	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.000%
46) 2-Hexanone-d5	8.091	63	50837	37.848	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	75.700%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	27768	4.015	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	80.200%
66) 1,2-Dichlorobenzene-d4	11.625	152	46046	4.660	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.200%
Target Compounds						
12) 1,1-Dichloroethene	2.117	96	3404	0.411	ug/L #	1
19) 1,1-Dichloroethane	3.188	63	855	0.052	ug/L #	82
22) cis-1,2-Dichloroethene	3.912	96	1162	0.122	ug/L #	61
34) Trichloroethene	5.911	95	49671	4.738	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091422\
Data File : VV027834.D
Acq On : 14 Sep 2022 17:35
Operator : SY/MD
Sample : N4618-05
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0E27

Quant Time: Sep 15 02:52:32 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR090622WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 15 02:47:38 2022
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 0.411 ug/L

RT: 2.117 min Scan# 31

Delta R.T. 0.003 min

Lab File: VV027834.D

Acq: 14 Sep 2022 17:35

Instrument :

MSVOA_V

ClientSampleId :

C0E27





Tgt Ion: 96 Resp: 3404

Ion Ratio Lower Upper

96 100

61 247.4 129.9 241.3#

63 902.2 94.6 175.8#



#19

1,1-Dichloroethane

Concen: 0.052 ug/L

RT: 3.188 min Scan# 668

Delta R.T. 0.003 min

Lab File: VV027834.D

Acq: 14 Sep 2022 17:35




Tgt Ion: 63 Resp: 855


Ion Ratio Lower Upper

63 100

65 37.4 22.0 41.0

83 0.0 10.1 18.9#









#22
 cis-1,2-Dichloroethene
 Concen: 0.122 ug/L
 RT: 3.912 min Scan# 893
 Delta R.T. 0.006 min
 Lab File: VV027834.D
 Acq: 14 Sep 2022 17:35

Instrument :
 MSVOA_V
 ClientSampleId :
 C0E27

Tgt Ion: 96 Resp: 1162
 Ion Ratio Lower Upper
 96 100
 61 88.3 94.6 175.6#
 68 0.0 0.3 0.5#



#34
 Trichloroethene
 Concen: 4.738 ug/L
 RT: 5.911 min Scan# 1515
 Delta R.T. 0.003 min
 Lab File: VV027834.D
 Acq: 14 Sep 2022 17:35

Tgt Ion: 95 Resp: 49671
 Ion Ratio Lower Upper
 95 100
 97 64.2 42.9 79.7
 132 105.7 67.9 126.1
 130 113.7 71.3 132.3

