

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW091423\
 Data File : VW032101.D
 Acq On : 14 Sep 2023 20:37
 Operator : SY/MD
 Sample : 04439-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EX818

Quant Time: Sep 15 08:05:55 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 15 08:00:54 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.538	114	238506	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	230236	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	119665	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	52489	35.165	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.320%
7) Chloroethane-d5	1.532	69	49166	37.575	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	75.140%
11) 1,1-Dichloroethene-d2	2.059	65	23756	33.989	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.980%
21) 2-Butanone-d5	3.789	46	131516	112.027	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.030%
24) Chloroform-d	4.252	84	133242	40.840	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	81.680%
26) 1,2-Dichloroethane-d4	4.947	65	87883	40.590	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	81.180%
32) Benzene-d6	4.963	84	259698	41.337	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.680%
36) 1,2-Dichloropropane-d6	5.992	67	92429	45.709	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.420%
41) Toluene-d8	7.246	98	224901	38.852	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	77.700%#
43) trans-1,3-Dichloroprop...	7.558	79	40096	38.257	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.520%
47) 2-Hexanone-d5	8.027	63	78995	127.458	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	127.460%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	131923	50.486	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.980%
66) 1,2-Dichlorobenzene-d4	11.564	152	97857	44.859	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.720%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091423\
Data File : VV032101.D
Acq On : 14 Sep 2023 20:37
Operator : SY/MD
Sample : 04439-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EX818

Quant Time: Sep 15 08:05:55 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 15 08:00:54 2023
Response via : Initial Calibration

