

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091519\
 Data File : VV012800.D
 Acq On : 15 Sep 2019 14:21
 Operator : SY/MD
 Sample : K4865-13
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMN2

Quant Time: Sep 16 08:09:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Sep 16 07:16:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	437944	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	430088	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	163641	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	185386	6.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	124.80%
7) Chloroethane-d5	1.58	69	157752	6.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	128.40%
11) 1,1-Dichloroethene-d2	2.13	63	229812	4.79	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	95.80%
20) 2-Butanone-d5	3.96	46	381802	53.41	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.82%
24) Chloroform-d	4.40	84	308756	5.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	114.40%
26) 1,2-Dichloroethane-d4	5.08	65	159187	6.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	123.20%
32) Benzene-d6	5.10	84	620651	6.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	120.80%
36) 1,2-Dichloropropane-d6	6.12	67	194970	5.98	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	119.60%
41) Toluene-d8	7.36	98	491641	5.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.80%
43) trans-1,3-Dichloropropene-	7.66	79	60536	5.40	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	108.00%
46) 2-Hexanone-d5	8.14	63	200864	47.29	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.58%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	111611	4.76	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	164569	5.88	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.60%


Target Compounds				Ovalue
13) Acetone	2.22	43	5136	1.226 ug/L 86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091519\
Data File : VV012800.D
Acq On : 15 Sep 2019 14:21
Operator : SY/MD
Sample : K4865-13
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMN2

Quant Time: Sep 16 08:09:35 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR090919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Sep 16 07:16:11 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.226 ug/L

RT: 2.22 min Scan# 352

Delta R.T. -0.01 min

Lab File: VV012800.D

Acq: 15 Sep 2019 14:21

Instrument :

MSVOA_V

ClientSampleId :

COMN2

Tot Ion: 43 Resp: 5136

Ion Ratio Lower Upper

43 100

58 41.9 0.0 67.4

