

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091523\
 Data File : VV032122.D
 Acq On : 15 Sep 2023 15:25
 Operator : SY/MD
 Sample : 04440-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Sep 16 02:13:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 16 02:09:37 2023
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards							
1) 1,4-Difluorobenzene		5.539	114	211238	50.000	ug/L	0.00
28) Chlorobenzene-d5		8.789	117	210398	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		11.188	152	108475	50.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		1.278	65	78813	59.616	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	119.240%	
7) Chloroethane-d5		1.532	69	63601	54.881	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	109.760%	
11) 1,1-Dichloroethene-d2		2.060	65	32348	52.256	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	104.520%	
21) 2-Butanone-d5		3.789	46	99686	95.875	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.870%	
24) Chloroform-d		4.256	84	130847	45.283	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.560%	
26) 1,2-Dichloroethane-d4		4.947	65	85153	44.406	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.820%	
32) Benzene-d6		4.963	84	281825	49.089	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.180%	
36) 1,2-Dichloropropane-d6		5.992	67	93031	50.345	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.680%	
41) Toluene-d8		7.246	98	254158	48.046	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.100%	
43) trans-1,3-Dichloroprop...		7.558	79	39953	41.714	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.420%	
47) 2-Hexanone-d5		8.027	63	65943	116.431	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	116.430%	
56) 1,1,2,2-Tetrachloroeth...		10.156	84	117798	49.331	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.660%	
66) 1,2-Dichlorobenzene-d4		11.564	152	96104	48.600	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.200%	
Target Compounds							
71) Naphthalene		13.442	128	321182	44.120	ug/L	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091523\
Data File : VV032122.D
Acq On : 15 Sep 2023 15:25
Operator : SY/MD
Sample : 04440-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Sep 16 02:13:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 16 02:09:37 2023
Response via : Initial Calibration





#71
 Naphthalene
 Concen: 44.120 ug/L
 RT: 13.442 min Scan# 3857
 Delta R.T. 0.000 min
 Lab File: VV032122.D
 Acq: 15 Sep 2023 15:25

Instrument :
 MSVOA_V
 ClientSampleId :



Tgt Ion:128 Resp: 321182

Ion	Ratio	Lower	Upper
128	100		
127	13.0	10.4	15.6
129	11.0	8.7	13.1

