

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091620\
 Data File : VV018237.D
 Acq On : 16 Sep 2020 15:03
 Operator : SY/MD
 Sample : L4024-09
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3G4

Quant Time: Sep 17 05:12:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 17 04:38:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	222695	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	221324	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	106303	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	91483	50.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.82%
7) Chloroethane-d5	1.58	69	74542	50.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.38%
11) 1,1-Dichloroethene-d2	2.12	63	131201	39.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.82%
21) 2-Butanone-d5	3.91	46	106596	95.96	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.96%
24) Chloroform-d	4.38	84	157478	50.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.02%
26) 1,2-Dichloroethane-d4	5.06	65	104279	51.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.32%
32) Benzene-d6	5.08	84	319046	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.72%
36) 1,2-Dichloropropane-d6	6.09	67	101246	50.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.58%
41) Toluene-d8	7.34	98	283602	49.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.22%
43) trans-1,3-Dichloropropene-	7.64	79	49828	48.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.42%
47) 2-Hexanone-d5	8.11	63	77365	101.45	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.45%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	132572	52.47	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.94%
64) 1,2-Dichlorobenzene-d4	11.65	152	118709	54.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.74%

Target Compounds					Ovalue
13) Acetone	2.20	43	3773	4.242 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091620\
Data File : VV018237.D
Acq On : 16 Sep 2020 15:03
Operator : SY/MD
Sample : L4024-09
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3G4

Quant Time: Sep 17 05:12:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 17 04:38:07 2020
Response via : Initial Calibration

