

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091620\
 Data File : VV018262.D
 Acq On : 17 Sep 2020 01:57
 Operator : SY/MD
 Sample : L4042-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AC7

Quant Time: Sep 17 06:22:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 17 05:33:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	284533	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	281774	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	134265	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	94509	40.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.52%
7) Chloroethane-d5	1.58	69	78443	41.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.68%
11) 1,1-Dichloroethene-d2	2.12	63	134122	31.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.06%
21) 2-Butanone-d5	3.92	46	115238	81.19	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	81.19%
24) Chloroform-d	4.38	84	167827	41.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.44%
26) 1,2-Dichloroethane-d4	5.06	65	112721	43.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.42%
32) Benzene-d6	5.08	84	337842	41.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.76%
36) 1,2-Dichloropropane-d6	6.09	67	107474	41.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	83.86%
41) Toluene-d8	7.34	98	301067	40.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.90%
43) trans-1,3-Dichloropropene-	7.64	79	50916	39.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.18%
47) 2-Hexanone-d5	8.11	63	84166	86.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.69%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	141816	44.08	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.16%
64) 1,2-Dichlorobenzene-d4	11.65	152	127428	46.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.42%

Target Compounds					Ovalue
34) Trichloroethene	5.95	95	2631	1.199 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091620\
Data File : VV018262.D
Acq On : 17 Sep 2020 01:57
Operator : SY/MD
Sample : L4042-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AC7

Quant Time: Sep 17 06:22:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 17 05:33:55 2020
Response via : Initial Calibration

