

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
 Data File : VV022164.D
 Acq On : 16 Sep 2021 18:33
 Operator : SY/MD
 Sample : M3764-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CA2

Quant Time: Sep 17 01:57:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 17 01:54:12 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	300601	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	279844	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	130226	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	90016	43.241	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.480%
7) Chloroethane-d5	1.561	69	78684	48.401	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.800%
11) 1,1-Dichloroethene-d2	2.104	63	133402	38.748	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.500%
21) 2-Butanone-d5	3.876	46	156059	109.311	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.310%
24) Chloroform-d	4.349	84	192301	50.662	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.320%
26) 1,2-Dichloroethane-d4	5.034	65	120446	53.872	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.740%
32) Benzene-d6	5.053	84	395226	52.070	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.140%
36) 1,2-Dichloropropane-d6	6.072	67	127234	53.302	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.600%
41) Toluene-d8	7.316	98	350047	48.855	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.700%
43) trans-1,3-Dichloroprop...	7.625	79	52696	46.382	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.760%
47) 2-Hexanone-d5	8.088	63	97787	106.765	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.770%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	162056	53.009	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	106.020%
66) 1,2-Dichlorobenzene-d4	11.625	152	135492	52.925	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.840%
Target Compounds						Qvalue
34) Trichloroethene	5.918	95	2479	1.075	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
Data File : VV022164.D
Acq On : 16 Sep 2021 18:33
Operator : SY/MD
Sample : M3764-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CA2


Quant Time: Sep 17 01:57:42 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 17 01:54:12 2021
Response via : Initial Calibration





#34
 Trichloroethene
 Concen: 1.075 ug/L
 RT: 5.918 min Scan# 1517
 Delta R.T. 0.003 min
 Lab File: VV022164.D
 Acq: 16 Sep 2021 18:33

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CA2



Tgt Ion: 95 Resp: 2479

Ion	Ratio	Lower	Upper
95	100		
97	75.9	44.1	81.9
132	104.6	70.7	131.3
130	100.2	74.8	139.0

