

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
 Data File : VV022164.D
 Acq On : 16 Sep 2021 18:33
 Operator : SY/MD
 Sample : M3764-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CA2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M

Title : VOC Analysis

Signal : TIC: VV022164.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	76	82	102	rVB	136853	145463	12.81%	1.700%
2	1.561	155	162	176	rVB	120563	142304	12.54%	1.664%
3	2.104	321	331	359	rVB	262228	390188	34.37%	4.561%
4	2.387	417	419	421	rBV	335	173	0.02%	0.002%
5	2.503	452	455	458	rBV3	1088	915	0.08%	0.011%
6	2.555	469	471	473	rVB2	410	147	0.01%	0.002%
7	2.661	501	504	509	rVV5	428	326	0.03%	0.004%
8	2.706	515	518	521	rBV3	519	346	0.03%	0.004%
9	2.735	524	527	528	rBV	402	191	0.02%	0.002%
10	2.989	601	606	611	rBV	338	343	0.03%	0.004%
11	3.355	718	720	726	rVB2	385	278	0.02%	0.003%
12	3.384	727	729	733	rVV2	321	150	0.01%	0.002%
13	3.625	799	804	807	rBB2	170	167	0.01%	0.002%
14	3.754	841	844	850	rVB2	200	140	0.01%	0.002%
15	3.876	869	882	918	rBV	99717	262814	23.15%	3.072%
16	4.352	1013	1030	1057	rBV	181597	460214	40.54%	5.380%
17	4.561	1093	1095	1100	rBV3	445	384	0.03%	0.004%
18	4.619	1110	1113	1116	rBV3	589	425	0.04%	0.005%
19	4.674	1128	1130	1135	rVB3	259	148	0.01%	0.002%
20	4.699	1135	1138	1140	rBV2	508	292	0.03%	0.003%
21	4.744	1150	1152	1155	rBV2	199	152	0.01%	0.002%
22	4.776	1160	1162	1164	rVV	307	132	0.01%	0.002%
23	4.847	1182	1184	1189	rVB2	203	126	0.01%	0.001%
24	4.921	1205	1207	1212	rBV2	306	212	0.02%	0.002%
25	5.047	1229	1246	1272	rBV2	441297	1135249	100.00%	13.271%
26	5.387	1350	1352	1355	rBV	381	222	0.02%	0.003%
27	5.403	1355	1357	1360	rVB3	470	239	0.02%	0.003%
28	5.442	1366	1369	1374	rVB3	530	355	0.03%	0.004%
29	5.468	1374	1377	1379	rBV	300	255	0.02%	0.003%
30	5.519	1391	1393	1395	rBV2	339	146	0.01%	0.002%
31	5.619	1412	1424	1456	rBV	335990	678319	59.75%	7.930%
32	5.911	1503	1515	1533	rBV6	26640	60250	5.31%	0.704%
33	5.998	1538	1542	1545	rVB4	469	339	0.03%	0.004%
34	6.072	1552	1565	1591	rBV	254308	520849	45.88%	6.089%
35	6.210	1606	1608	1610	rBV2	801	504	0.04%	0.006%
36	6.288	1629	1632	1633	rBV	274	173	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
 Data File : VV022164.D
 Acq On : 16 Sep 2021 18:33
 Operator : SY/MD
 Sample : M3764-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CA2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Title : VOC Analysis

37	6.336	1644	1647	1650	rBV2	439	310	0.03%	0.004%
38	6.439	1676	1679	1683	rVB3	419	322	0.03%	0.004%
39	6.471	1683	1689	1690	rBV	195	149	0.01%	0.002%
40	6.481	1690	1692	1695	rVB2	222	126	0.01%	0.001%
41	6.529	1705	1707	1710	rVB4	294	137	0.01%	0.002%
42	6.635	1739	1740	1743	rBV	318	199	0.02%	0.002%
43	6.648	1743	1744	1747	rBV	395	244	0.02%	0.003%
44	6.718	1763	1766	1768	rBV2	382	247	0.02%	0.003%
45	6.760	1776	1779	1782	rBV2	383	258	0.02%	0.003%
46	6.844	1802	1805	1809	rBV3	454	358	0.03%	0.004%
47	6.989	1838	1850	1883	rBV	131662	244754	21.56%	2.861%
48	7.201	1913	1916	1920	rBV4	789	618	0.05%	0.007%
49	7.259	1932	1934	1938	rVB2	331	192	0.02%	0.002%
50	7.317	1938	1952	1971	rBV	522841	907134	79.91%	10.604%
51	7.625	2037	2048	2076	rBV	90125	160110	14.10%	1.872%
52	7.831	2110	2112	2115	rVB	317	180	0.02%	0.002%
53	7.850	2115	2118	2120	rBV2	399	198	0.02%	0.002%
54	7.918	2137	2139	2140	rBV	359	151	0.01%	0.002%
55	7.985	2157	2160	2166	rBV3	580	429	0.04%	0.005%
56	8.011	2166	2168	2171	rBV	286	126	0.01%	0.001%
57	8.027	2171	2173	2179	rBV2	368	239	0.02%	0.003%
58	8.091	2179	2193	2232	rBV	283584	545739	48.07%	6.380%
59	8.503	2319	2321	2325	rVB2	430	180	0.02%	0.002%
60	8.538	2331	2332	2335	rBV2	361	194	0.02%	0.002%
61	8.606	2350	2353	2354	rBV	263	158	0.01%	0.002%
62	8.638	2361	2363	2366	rBV3	272	190	0.02%	0.002%
63	8.696	2377	2381	2385	rBV4	469	394	0.03%	0.005%
64	8.744	2392	2396	2400	rVB2	440	224	0.02%	0.003%
65	8.786	2406	2409	2410	rBV	337	141	0.01%	0.002%
66	8.853	2418	2430	2451	rBV	490550	808588	71.23%	9.452%
67	9.111	2507	2510	2514	rBV	373	284	0.03%	0.003%
68	9.246	2550	2552	2556	rBV2	282	190	0.02%	0.002%
69	9.316	2572	2574	2577	rBV2	249	152	0.01%	0.002%
70	9.352	2584	2585	2590	rBV	194	150	0.01%	0.002%
71	9.381	2592	2594	2598	rVV2	235	129	0.01%	0.002%
72	9.400	2598	2600	2605	rVV2	294	234	0.02%	0.003%
73	9.503	2630	2632	2636	rBV2	307	195	0.02%	0.002%
74	9.551	2644	2647	2655	rBV3	657	640	0.06%	0.007%
75	9.612	2663	2666	2669	rVB2	230	158	0.01%	0.002%
76	9.641	2671	2675	2677	rBV	429	297	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
 Data File : VV022164.D
 Acq On : 16 Sep 2021 18:33
 Operator : SY/MD
 Sample : M3764-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CA2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Title : VOC Analysis

77	9.734	2699	2704	2708	rBV	336	296	0.03%	0.003%
78	9.773	2714	2716	2719	rVV2	225	129	0.01%	0.002%
79	9.882	2747	2750	2753	rBV	318	198	0.02%	0.002%
80	9.905	2754	2757	2759	rBV	205	138	0.01%	0.002%
81	10.017	2788	2792	2794	rBV	202	132	0.01%	0.002%
82	10.127	2820	2826	2828	rBV4	1730	1765	0.16%	0.021%
83	10.217	2842	2854	2877	rVV	334479	533936	47.03%	6.242%
84	10.545	2952	2956	2957	rBV2	448	226	0.02%	0.003%
85	10.561	2958	2961	2964	rVV	656	363	0.03%	0.004%
86	10.699	3000	3004	3006	rVB2	490	283	0.02%	0.003%
87	10.715	3006	3009	3012	rBV2	231	193	0.02%	0.002%
88	10.847	3047	3050	3055	rVB2	240	178	0.02%	0.002%
89	10.914	3064	3071	3072	rBV2	1841	1439	0.13%	0.017%
90	10.992	3092	3095	3101	rBV	321	234	0.02%	0.003%
91	11.101	3126	3129	3135	rBV2	333	369	0.03%	0.004%
92	11.149	3139	3144	3149	rVV5	1075	1211	0.11%	0.014%
93	11.175	3149	3152	3154	rVV2	531	350	0.03%	0.004%
94	11.252	3165	3176	3195	rBV	462330	737058	64.92%	8.616%
95	11.625	3280	3292	3312	rBV	503159	796280	70.14%	9.309%
96	11.795	3342	3345	3349	rBV3	776	561	0.05%	0.007%
97	12.011	3409	3412	3414	rBV2	445	263	0.02%	0.003%
98	12.107	3437	3442	3445	rBV3	485	439	0.04%	0.005%
99	12.590	3589	3592	3597	rBV3	403	386	0.03%	0.005%
100	12.628	3602	3604	3609	rVB2	323	191	0.02%	0.002%

Sum of corrected areas: 8554266

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
Data File : VV022164.D
Acq On : 16 Sep 2021 18:33
Operator : SY/MD
Sample : M3764-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CA2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091621\
Data File : VV022164.D
Acq On : 16 Sep 2021 18:33
Operator : SY/MD
Sample : M3764-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CA2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
