

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091720\
 Data File : VV018270.D
 Acq On : 17 Sep 2020 11:44
 Operator : SY/MD
 Sample : VV0917WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK72

Quant Time: Sep 18 06:38:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 06:17:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	290679	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	290186	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	139342	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	95437	40.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.58%
7) Chloroethane-d5	1.58	69	80366	41.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.92%
11) 1,1-Dichloroethene-d2	2.12	63	139505	32.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.20%
21) 2-Butanone-d5	3.92	46	123418	85.12	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.12%
24) Chloroform-d	4.38	84	174949	42.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.14%
26) 1,2-Dichloroethane-d4	5.06	65	117895	44.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.50%
32) Benzene-d6	5.08	84	353691	42.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.16%
36) 1,2-Dichloropropane-d6	6.10	67	112754	42.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.44%
41) Toluene-d8	7.34	98	318630	42.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.18%
43) trans-1,3-Dichloropropene-	7.64	79	56101	41.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.66%
47) 2-Hexanone-d5	8.11	63	89508	89.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.52%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	148333	44.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.54%
64) 1,2-Dichlorobenzene-d4	11.65	152	132099	46.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.32%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091720\
Data File : VV018270.D
Acq On : 17 Sep 2020 11:44
Operator : SY/MD
Sample : VV0917WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK72

Quant Time: Sep 18 06:38:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 06:17:41 2020
Response via : Initial Calibration

