

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091720\
 Data File : VV018276.D
 Acq On : 17 Sep 2020 14:13
 Operator : SY/MD
 Sample : L4024-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3K3

Quant Time: Sep 18 06:58:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 06:17:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	286146	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	283836	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	136772	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	92347	39.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.20%
7) Chloroethane-d5	1.58	69	78447	41.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.22%
11) 1,1-Dichloroethene-d2	2.12	63	137324	32.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.20%
21) 2-Butanone-d5	3.92	46	119547	83.75	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.75%
24) Chloroform-d	4.38	84	171900	42.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.98%
26) 1,2-Dichloroethane-d4	5.06	65	115404	44.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.00%
32) Benzene-d6	5.08	84	344457	42.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.78%
36) 1,2-Dichloropropane-d6	6.09	67	111139	43.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.10%
41) Toluene-d8	7.34	98	306940	41.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.90%
43) trans-1,3-Dichloropropene-	7.64	79	53797	41.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.00%
47) 2-Hexanone-d5	8.11	63	88270	90.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.26%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	143264	44.21	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.42%
64) 1,2-Dichlorobenzene-d4	11.65	152	130314	46.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.78%

Target Compounds					Ovalue
13) Acetone	2.20	43	3319	2.904 ug/L	77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091720\
Data File : VV018276.D
Acq On : 17 Sep 2020 14:13
Operator : SY/MD
Sample : L4024-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3K3

Quant Time: Sep 18 06:58:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 06:17:41 2020
Response via : Initial Calibration

