

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091720\
 Data File : VV018280.D
 Acq On : 17 Sep 2020 15:44
 Operator : SY/MD
 Sample : L4066-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFWS4

Quant Time: Sep 18 07:09:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 06:17:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	205078	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	206184	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	98680	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	76676	45.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.76%
7) Chloroethane-d5	1.58	69	65312	47.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.52%
11) 1,1-Dichloroethene-d2	2.12	63	113820	37.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.26%
21) 2-Butanone-d5	3.92	46	101577	99.30	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.30%
24) Chloroform-d	4.38	84	142665	49.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	5.06	65	95633	51.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.90%
32) Benzene-d6	5.08	84	286243	48.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.00%
36) 1,2-Dichloropropane-d6	6.09	67	92448	49.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.58%
41) Toluene-d8	7.34	98	252898	47.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.02%
43) trans-1,3-Dichloropropene-	7.64	79	44591	46.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.58%
47) 2-Hexanone-d5	8.11	63	70874	99.77	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.77%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	122727	52.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.28%
64) 1,2-Dichlorobenzene-d4	11.65	152	107967	53.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.54%

Target Compounds					Ovalue
13) Acetone	2.20	43	5007	6.112 ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091720\
Data File : VV018280.D
Acq On : 17 Sep 2020 15:44
Operator : SY/MD
Sample : L4066-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFWS4

Quant Time: Sep 18 07:09:48 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 06:17:41 2020
Response via : Initial Calibration

