

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091720\
 Data File : VV018285.D
 Acq On : 17 Sep 2020 17:36
 Operator : SY/MD
 Sample : L4066-08
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFWW2

Quant Time: Sep 18 07:22:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 06:17:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	280617	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	279997	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	133901	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	87184	38.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.24%
7) Chloroethane-d5	1.58	69	74816	39.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.96%
11) 1,1-Dichloroethene-d2	2.12	63	128417	30.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.22%
21) 2-Butanone-d5	3.91	46	121069	86.49	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.49%
24) Chloroform-d	4.38	84	166096	41.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.72%
26) 1,2-Dichloroethane-d4	5.06	65	110420	43.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.82%
32) Benzene-d6	5.08	84	332434	41.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.94%
36) 1,2-Dichloropropane-d6	6.09	67	107516	42.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	84.42%
41) Toluene-d8	7.34	98	295998	40.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.04%
43) trans-1,3-Dichloropropene-	7.64	79	51316	39.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.30%
47) 2-Hexanone-d5	8.11	63	86478	89.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.64%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	142621	44.62	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.24%
64) 1,2-Dichlorobenzene-d4	11.65	152	126550	46.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.04%

Target Compounds					Ovalue
13) Acetone	2.19	43	5543	4.945 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091720\
Data File : VV018285.D
Acq On : 17 Sep 2020 17:36
Operator : SY/MD
Sample : L4066-08
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFWW2

Quant Time: Sep 18 07:22:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 06:17:41 2020
Response via : Initial Calibration

