

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091720\
 Data File : VV018295.D
 Acq On : 17 Sep 2020 21:45
 Operator : SY/MD
 Sample : VV0917WBL02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK73

Quant Time: Sep 18 08:11:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 08:05:39 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	278779	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	275490	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	134484	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	87847	38.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.34%
7) Chloroethane-d5	1.58	69	77232	41.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.08%
11) 1,1-Dichloroethene-d2	2.12	63	133175	31.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.92%
21) 2-Butanone-d5	3.92	46	126856	91.22	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.22%
24) Chloroform-d	4.38	84	171764	43.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.14%
26) 1,2-Dichloroethane-d4	5.06	65	113853	45.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.12%
32) Benzene-d6	5.08	84	339549	43.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.10%
36) 1,2-Dichloropropane-d6	6.09	67	110806	44.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.44%
41) Toluene-d8	7.34	98	300809	41.85	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.70%
43) trans-1,3-Dichloropropene-	7.64	79	52912	41.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.10%
47) 2-Hexanone-d5	8.11	63	91371	96.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.26%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	148122	47.10	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.20%
64) 1,2-Dichlorobenzene-d4	11.65	152	131264	47.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.06%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091720\
Data File : VV018295.D
Acq On : 17 Sep 2020 21:45
Operator : SY/MD
Sample : VV0917WBL02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK73

Quant Time: Sep 18 08:11:29 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 08:05:39 2020
Response via : Initial Calibration

