

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091720\
 Data File : VV018297.D
 Acq On : 17 Sep 2020 22:30
 Operator : SY/MD
 Sample : L4043-12
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AE7

Quant Time: Sep 18 08:17:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 08:05:39 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	286084	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	284095	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	136972	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	77667	33.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	66.62%
7) Chloroethane-d5	1.58	69	69880	36.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	73.26%
11) 1,1-Dichloroethene-d2	2.12	63	119614	27.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	55.94%#
21) 2-Butanone-d5	3.92	46	120193	84.23	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.23%
24) Chloroform-d	4.38	84	162840	40.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	80.52%
26) 1,2-Dichloroethane-d4	5.06	65	109589	42.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.52%
32) Benzene-d6	5.08	84	321198	39.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	78.98%
36) 1,2-Dichloropropane-d6	6.09	67	104737	40.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	81.06%
41) Toluene-d8	7.34	98	283624	38.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	76.54%#
43) trans-1,3-Dichloropropene-	7.64	79	49228	37.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.98%
47) 2-Hexanone-d5	8.11	63	85981	87.84	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.84%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	139822	43.11	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.22%
64) 1,2-Dichlorobenzene-d4	11.65	152	124688	44.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.66%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091720\
Data File : VV018297.D
Acq On : 17 Sep 2020 22:30
Operator : SY/MD
Sample : L4043-12
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AE7

Quant Time: Sep 18 08:17:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 08:05:39 2020
Response via : Initial Calibration

